



MALE STUD COUPLING Thread BSP Parallel


Type: **1003...1** Only Body



Type: **1003..** B3 Ring



1003...4 B4 Ring




Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
L	315	100304.1	100304	6	1/8	15,5	8,5	8	23	14	14	100304.4
		100305.1	100305	8	1/4	17	10	12	25	19	17	100305.4
		100306.1	100306	10	1/4	18	11	12	26	19	19	100306.4
		100307.1	100307	12	3/8	19,5	12,5	12	27	22	22	100307.4
		100308.1	100308	15	1/2	21	14	14	29	27	27	100308.4
		100309.1	100309	18	1/2	22	14,5	14	31	27	32	100309.4
	160	100310.1	100310	22	3/4	24	16,5	16	33	32	36	100310.4
		100311.1	100311	28	1	25	17,5	18	34	41	41	100311.4
		100312.1	100312	35	1 1/4	28	17,5	20	39	50	50	100312.4
		100313.1	100313	42	1 1/2	30	19	22	42	55	60	100313.4
S	630	100314.1	100314	6	1/4	20	13	12	28	19	17	100314.4
		100315.1	100315	8	1/4	22	15	12	30	19	19	100315.4
		100316.1	100316	10	3/8	22,5	15	12	31	22	22	100316.4
		100317.1	100317	12	3/8	24,5	17	12	33	22	24	100317.4
		100318.1	100318	14	1/2	27	19	14	37	27	27	100318.4
	400	100319.1	100319	16	1/2	27	18,5	14	37	27	30	100319.4
		100320.1	100320	20	3/4	31	20,5	16	42	32	36	100320.4
		100321.1	100321	25	1	35	23	18	47	41	46	100321.4
		100322.1	100322	30	1 1/4	37	23,5	20	50	50	50	100322.4
	315	100323.1	100323	38	1 1/2	42	26	22	57	55	60	100323.4
L	315	100324.1*	100324*	6	1/4	17	10	12	24,5	19	14	100324.4*
		100325.1*	100325*	8	1/8	16,5	9,5	8	24,5	14	17	100325.4*
		100326.1*	100326*	8	3/8	18,5	11,5	12	26,5	22	17	100326.4*
		100327.1*	100327*	8	1/2	19	12	14	27	27	17	100327.4*
		100328.1*	100328*	10	1/8	17,5	10,5	8	25,5	17	19	100328.4*
		100329.1*	100329*	10	3/8	19,5	12,5	12	27,5	22	19	100329.4*
		100330.1*	100330*	10	1/2	20	13	14	28	27	19	100330.4*
		100331.1*	100331*	12	1/4	19	12	12	26,5	19	22	100331.4*
		100332.1*	100332*	12	1/2	20	13	14	27,5	27	22	100332.4*
		100333.1*	100333*	15	3/8	20,5	13,5	12	28,5	24	27	100333.4*
		100334.1*	100334*	18	3/4	22	14,5	16	31	32	32	100334.4*
S	630	100335.1*	100335*	12	1/2	25	17,5	14	33,5	27	24	100335.4*
		100336.1*	100336*	14	3/8	26,5	18,5	12	36,5	24	27	100336.4*
	400	100337.1*	100337*	16	3/8	26,5	18	12	36,5	27	30	100337.4*
		100338.1*	100338*	20	1/2	31	20,5	14	42	32	36	100338.4*
		100339.1*	100339*	25	3/4	35	23	16	47	41	46	100339.4*
		100340.1*	100340*	30	1	37	23,5	18	50	46	50	100340.4*
	630	100341.1*	100341*	8	3/8	22,5	15,5	12	30,5	22	19	100341.4*
		100342.1*	100342*	10	1/4	22	14,5	12	30,5	19	22	100342.4*
		100343.1*	100343*	10	1/2	25	17,5	14	33,5	27	22	100343.4*
		100344.1*	100344*	12	1/4	24	16,5	12	32,5	22	24	100344.4*
	400	100345.1*	100345*	16	3/4	29	20,5	16	39	32	30	100345.4*
		100346.1*	100346*	20	1	33	22,5	18	44	41	36	100346.4*
	315	100347.1*	100347*	38	1 1/4	42	26	20	57	55	60	100347.4*
	315	100348.1*	100348*	15	3/4	22	15	16	30	32	27	100348.4*
L	160	100349.1*	100349*	22	1/2	24	16,5	14	33	32	36	100349.4*
		100350.1*	100350*	22	1	25	17,5	18	34	41	36	100350.4*
		100351.1*	100351*	28	3/4	25	17,5	16	34	41	41	100351.4*
		100352.1*	100352*	35	1	28	17,5	18	39	46	50	100352.4*
	315	100353.1*	100353*	6	3/8	18,5	11,5	12	26	22	14	100353.4*
	160	100354.1*	100354*	42	1 1/4	30	19	20	42	55	60	100354.4*

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**


*Articles available on request only

MALE STUD COUPLING WITH ELASTOMER SEAL Thread BSP Parallel


Type: **1005...1** Only Body



Type: **1005..** B3 Ring



Type: **1005...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	100501.1	100501	4	1/8	13,5	9,5	8	20	14	10	-
		100502.1	100502	6	1/8	13,5	8	8	20	14	12	-
		100503.1	100503	8	1/8	14,5	9	8	21	14	14	-
L	315	100504.1	100504	6	1/8	15,5	8,5	8	23	14	14	100504.4
		100505.1	100505	8	1/4	17	10	12	25	19	17	100505.4
		100506.1	100506	10	1/4	18	11	12	26	19	19	100506.4
		100507.1	100507	12	3/8	19,5	12,5	12	27	22	22	100507.4
		100508.1	100508	15	1/2	21	14	14	29	27	27	100508.4
		100509.1	100509	18	1/2	22	14,5	14	31	27	32	100509.4
		100510.1	100510	22	3/4	24	16,5	16	33	32	36	100510.4
	160	100511.1	100511	28	1	25	17,5	18	34	41	41	100511.4
		100512.1	100512	35	1 1/4	28	17,5	20	39	50	50	100512.4
		100513.1	100513	42	1 1/2	30	19	22	42	55	60	100513.4
S	630	100514.1	100514	6	1/4	20	13	12	28	19	17	100514.4
		100515.1	100515	8	1/4	22	15	12	30	19	19	100515.4
		100516.1	100516	10	3/8	22,5	15	12	31	22	22	100516.4
		100517.1	100517	12	3/8	24,5	17	12	33	22	24	100517.4
		100518.1	100518	14	1/2	27	19	14	37	27	27	100518.4
	400	100519.1	100519	16	1/2	27	18,5	14	37	27	30	100519.4
		100520.1	100520	20	3/4	31	20,5	16	42	32	36	100520.4
		100521.1	100521	25	1	35	23	18	47	41	46	100521.4
		100522.1	100522	30	1 1/4	37	23,5	20	50	50	50	100522.4
	315	100523.1	100523	38	1 1/2	42	26	22	57	55	60	100523.4
L	315	100524.1	100524	6	1/4	17	10	12	24,5	19	14	100524.4
		100525.1	100525	8	1/8	16,5	9,5	8	24,5	14	17	100525.4
		100526.1	100526	8	3/8	18,5	11,5	12	26,5	22	17	100526.4
		100527.1	100527	8	1/2	19	12	14	27	27	17	100527.4
		100528.1	100528	10	1/8	17,5	10,5	8	25,5	17	19	100528.4
		100529.1	100529	10	3/8	19,5	12,5	12	27,5	22	19	100529.4
		100530.1	100530	10	1/2	20	13	14	28	27	19	100530.4
		100531.1	100531	12	1/4	19	12	12	26,5	19	22	100531.4
		100532.1	100532	12	1/2	20	13	14	27,5	27	22	100532.4
		100533.1	100533	15	3/8	20,5	13,5	12	28,5	24	27	100533.4
		100534.1	100534	18	3/4	22	14,5	16	31	32	32	100534.4
S	630	100535.1	100535	12	1/2	25	17,5	14	33,5	27	24	100535.4
		100536.1	100536	14	3/8	26,5	18,5	12	36,5	24	27	100536.4
	400	100537.1	100537	16	3/8	26,5	18	12	36,5	27	30	100537.4
		100538.1	100538	20	1/2	31	20,5	14	42	32	36	100538.4
		100539.1	100539	25	3/4	35	23	16	47	41	46	100539.4
		100540.1	100540	30	1	37	23,5	18	50	46	50	100540.4
	630	100541.1	100541	8	3/8	22,5	15,5	12	30,5	22	19	100541.4
		100542.1	100542	10	1/4	22	14,5	12	30,5	19	22	100542.4
		100543.1	100543	10	1/2	25	17,5	14	33,5	27	22	100543.4
		100544.1	100544	12	1/4	24	16,5	12	32,5	22	24	100544.4
	400	100545.1	100545	16	3/4	29	20,5	16	39	32	30	100545.4
		100546.1	100546	20	1	33	22,5	18	44	41	36	100546.4
	315	100547.1	100547	38	1 1/4	42	26	20	57	55	60	100547.4
	315	100548.1	100548	15	3/4	22	15	16	30	32	27	100548.4
L	160	100549.1	100549	22	1/2	24	16,5	14	33	32	36	100549.4
		100550.1	100550	22	1	25	17,5	18	34	41	36	100550.4
		100551.1	100551	28	3/4	25	17,5	16	34	41	41	100551.4
		100552.1	100552	35	1	28	17,5	18	39	46	50	100552.4
		100553.1	100553	6	3/8	18,5	11,5	12	26	22	14	100553.4
	160	100554.1	100554	42	1 1/4	30	19	20	42	55	60	100554.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.

FEMALE STUD COUPLING Thread BSP Parallel - Thread Metric Parall

Type: **1007...1** Only Body
Type: **1008...1** Only Body

Type: **1007..** B3 Ring
Type: **1008..** B3 Ring

Type: **1007...4** B4 Ring
Type: **1008...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
L	315	100704.1	100704	6	1/8	16	9	10	23,5	14	14	100704.4
		100705.1	100705	8	1/4	17	10	14	25	19	17	100705.4
		100706.1	100706	10	1/4	18	11	14	26	19	19	100706.4
		100707.1	100707	12	3/8	19	12	14	26,5	24	22	100707.4
		100708.1	100708	15	1/2	21	14	17	29	27	27	100708.4
		100709.1	100709	18	1/2	21	13,5	17	30	27	32	100709.4
	160	100710.1	100710	22	3/4	24	16,5	19	33	36	36	100710.4
		100711.1	100711	28	1	23,5	16	21,5	32,5	41	41	100711.4
		100712.1	100712	35	1 1/4	28,5	18	23,5	39,5	55	50	100712.4
		100713.1	100713	42	1 1/2	28,5	17,5	25,5	40,5	60	60	100713.4
S	630	100714.1	100714	6	1/4	19	12	14	27	19	17	100714.4
		100715.1	100715	8	1/4	19	12	14	27	19	19	100715.4
		100716.1	100716	10	3/8	20	12,5	14	28,5	24	22	100716.4
		100717.1	100717	12	3/8	20	12,5	14	28,5	24	24	100717.4
		100718.1	100718	14	1/2	23	15	17	33	30	27	100718.4
		100719.1	100719	16	1/2	23	14,5	17	33	30	30	100719.4
	400	100720.1	100720	20	3/4	26	15,5	19	37	36	36	100720.4
		100721.1	100721	25	1	27,5	15,5	21,5	39,5	41	46	100721.4
		100722.1	100722	30	1 1/4	32,5	19	23,5	45,5	55	50	100722.4
	315	100723.1	100723	38	1 1/2	34,5	18,5	25,5	49,5	60	60	100723.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
L	315	100804.1	100804	6	10x1	16	9	10	23,5	14	14	100804.4
		100805.1	100805	8	12x1,5	16,5	9,5	14,5	24,5	17	17	100805.4
		100806.1	100806	10	14x1,5	17,5	10,5	14,5	25,5	19	19	100806.4
		100807.1	100807	12	16x1,5	18,5	11,5	14,5	26	22	22	100807.4
		100808.1	100808	15	18x1,5	23,5	16,5	14,5	31,5	24	27	100808.4
		100809.1	100809	18	22x1,5	21,5	14	16,5	30,5	30	32	100809.4
	160	100810.1	100810	22	26x1,5	23,5	16	18,5	32,5	32	36	100810.4
		100811.1	100811	28	33x2	24	16,5	21	33	41	41	100811.4
		100812.1	100812	35	42x2	28	17,5	23	39	55	50	100812.4
		100813.1	100813	42	48x2	29	18	25	41	60	60	100813.4
S	630	100814.1	100814	6	12x1,5	18,5	11,5	14,5	26,5	17	17	100814.4
		100815.1	100815	8	14x1,5	18,5	11,5	14,5	26,5	19	19	100815.4
		100816.1	100816	10	16x1,5	19,5	12	14,5	28	22	22	100816.4
		100817.1	100817	12	18x1,5	19,5	12	14,5	28	24	24	100817.4
		100818.1	100818	14	20x1,5	23,5	15,5	16,5	33,5	27	27	100818.4
		100819.1	100819	16	22x1,5	23,5	15	16,5	33,5	30	30	100819.4
	400	100820.1	100820	20	27x2	26	15,5	19	37	36	36	100820.4
		100821.1	100821	25	33x2	28	16	21	40	41	46	100821.4
		100822.1	100822	30	42x2	33	19,5	23	46	55	50	100822.4
	315	100823.1	100823	38	48x2	35	19	25	50	60	60	100823.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on request only




STUD STANDPIPE ADAPTOR WITH ELASTOMER SEAL

Thread BSP Parallel - Thread Metric Parallel

Type: **10CTG..R** Only Body
Type: **10CTG..M** Only Body

Type: **1011..** B3 Ring
Type: **1012..** B3 Ring

Type: **1011...4** B4 Ring
Type: **1012...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	m	G	L1	L2	CH1	CH2	Ordering Equipped B4
L	315	10CTG04R	101104	6	12x1,5	1/8	24,5	8	14	14	101104.4
		10CTG05R	101105	8	14x1,5	1/4	29,5	12	19	17	101105.4
		10CTG06R	101106	10	16x1,5	1/4	27,5	12	19	19	101106.4
		10CTG07R	101107	12	18x1,5	3/8	34	12	22	22	101107.4
		10CTG08R	101108	15	22x1,5	1/2	32	14	27	27	101108.4
		10CTG09R	101109	18	26x1,5	1/2	31,5	14	27	32	101109.4
	160	10CTG10R	101110	22	30x2	3/4	32,5	16	32	36	101110.4
		10CTG11R	101111	28	36x2	1	35	18	41	41	101111.4
		10CTG12R	101112	35	45x2	1 1/4	42,5	20	50	50	101112.4
		10CTG13R	101113	42	52x2	1 1/2	46,5	22	55	60	101113.4
S	630	10CTG14R	101114	6	14x1,5	1/4	27	12	19	17	101114.4
		10CTG15R	101115	8	16x1,5	1/4	29,5	12	19	19	101115.4
		10CTG16R	101116	10	18x1,5	3/8	32	12	22	22	101116.4
		10CTG17R	101117	12	20x1,5	3/8	34	12	22	24	101117.4
		10CTG18R	101118	14	22x1,5	1/2	36,5	14	27	27	101118.4
	400	10CTG19R	101119	16	24x1,5	1/2	37	14	27	30	101119.4
		10CTG20R	101120	20	30x2	3/4	43	16	32	36	101120.4
		10CTG21R	101121	25	36x2	1	48	18	41	46	101121.4
		10CTG22R	101122	30	42x2	1 1/4	51	20	50	50	101122.4
	315	10CTG23R	101123	38	52x2	1 1/2	60	22	55	60	101123.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	m	M	L1	L2	CH1	CH2	Ordering Equipped B4
L	315	10CTG04M	101204	6	12x1,5	10x1	24,5	8	14	14	101204.4
		10CTG05M	101205	8	14x1,5	12x1,5	26,5	12	17	17	101205.4
		10CTG06M	101206	10	16x1,5	14x1,5	27,5	12	19	19	101206.4
		10CTG07M	101207	12	18x1,5	16x1,5	30,5	12	22	22	101207.4
		10CTG08M	101208	15	22x1,5	18x1,5	31,5	12	24	27	101208.4
		10CTG09M	101209	18	26x1,5	22x1,5	31,5	14	27	32	101209.4
	160	10CTG10M	101210	22	30x2	26x1,5	32,5	16	32	36	101210.4
		10CTG11M	101211	28	36x2	33x2	35	18	41	41	101211.4
		10CTG12M	101212	35	45x2	42x2	42,5	20	50	50	101212.4
		10CTG13M	101213	42	52x2	48x2	46,5	22	55	60	101213.4
S	630	10CTG14M	101214	6	14x1,5	12x1,5	27	12	17	17	101214.4
		10CTG15M	101215	8	16x1,5	14x1,5	29,5	12	19	19	101215.4
		10CTG16M	101216	10	18x1,5	16x1,5	32	12	22	22	101216.4
		10CTG17M	101217	12	20x1,5	18x1,5	34	12	24	24	101217.4
		10CTG18M	101218	14	22x1,5	20x1,5	36,5	14	27	27	101218.4
	400	10CTG19M	101219	16	24x1,5	22x1,5	37	14	27	30	101219.4
		10CTG20M	101220	20	30x2	27x2	43	16	32	36	101220.4
		10CTG21M	101221	25	36x2	33x2	48	18	41	46	101221.4
		10CTG22M	101222	30	42x2	42x2	51	20	50	50	101222.4
	315	10CTG23M	101223	38	52x2	48x2	60	22	55	60	101223.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

MALE STUD COUPLING Thread BSP Taper

Type: **1017...1** Only Body

Type: **1017..** B3 Ring

Type: **1017...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	101701.1	101701	4	1/8	12	8	8	18,5	12	10	-
		101702.1	101702	6	1/8	12	6,5	8	18,5	12	12	-
		101703.1	101703	8	1/8	14	8,5	8	20,5	12	14	-
L	315	101704.1	101704	6	1/8	14	7	8	22	12	14	101704.4
		101705.1	101705	8	1/4	15	8	12	23	17	17	101705.4
		101706.1	101706	10	1/4	16	9	12	24	17	19	101706.4
		101707.1	101707	12	3/8	17	10	12	24,5	19	22	101707.4
		101708.1	101708	15	1/2	18	11	14	26	24	27	101708.4
	160	101709.1	101709	18	1/2	19	11,5	14	28	27	32	101709.4
		101710.1	101710	22	3/4	21	13,5	16	30	32	36	101710.4
		101711.1	101711	28	1	22	14,5	18	31	41	41	101711.4
		101712.1	101712	35	1 1/4	25	14,5	20	36	46	50	101712.4
S	630	101713.1	101713	42	1 1/2	27	16	22	39	55	60	101713.4
		101714.1	101714	6	1/4	18	11	12	26	17	17	101714.4
		101715.1	101715	8	1/4	20	13	12	28	17	19	101715.4
		101716.1	101716	10	3/8	20	12,5	12	28,5	19	22	101716.4
		101717.1	101717	12	3/8	22	14,5	12	30,5	22	24	101717.4
	400	101718.1	101718	14	1/2	24	16	14	34	24	27	101718.4
		101719.1	101719	16	1/2	24	15,5	14	34	27	30	101719.4
		101720.1	101720	20	3/4	28	17,5	16	39	32	36	101720.4
		101721.1	101721	25	1	32	20	18	44	41	46	101721.4
		101722.1	101722	30	1 1/4	34	20,5	20	47	46	50	101722.4
	315	101723.1	101723	38	1 1/2	39	23	22	54	55	60	101723.4
L	315	101724.1	101724	6	1/4	15	8	12	22,5	14	14	101724.4
		101725.1	101725	8	1/8	15	8	8	22	14	17	101725.4
		101726.1	101726	8	3/8	16	9	12	25	19	17	101726.4
		101727.1	101727	8	1/2	16	9	14	25	22	17	101727.4
		101728.1	101728	10	1/8	16	9	8	24	17	19	101728.4
		101729.1	101729	10	3/8	17	10	12	25	19	19	101729.4
		101730.1	101730	10	1/2	17	10	14	25	22	19	101730.4
		101731.1	101731	12	1/4	17	10	12	24,5	19	22	101731.4
		101732.1	101732	12	1/2	17	10	14	24,5	22	22	101732.4
		101733.1	101733	15	3/8	18	11	12	26	24	27	101733.4
S	630	101734.1	101734	18	3/4	19	11,5	16	28	32	32	101734.4
		101735.1	101735	12	1/2	22	14,5	14	30,5	22	24	101735.4
	400	101736.1	101736	14	3/8	24	16	12	34	24	27	101736.4
		101737.1	101737	16	3/8	24	15,5	12	34	27	30	101737.4
		101738.1	101738	20	1/2	28	17,5	14	39	32	36	101738.4
		101739.1	101739	25	3/4	32	20	16	44	41	46	101739.4
		101740.1	101740	30	1	34	20,5	18	47	46	50	101740.4




Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm

BULKHEAD CONNECTION WITH ELASTOMER SEAL Thread BSP Parallel

Type: **1049...1** Only Body

Type: **1049... B3** Ring

Type: **1049...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	m	G	L1	L2	L3	L4	CH1	CH2	CH3	Ordering Equipped B4
L	315	104904.1	104904	6	12x1,5	1/8	39,5	32,5	8	47,5	17	17	14	104904.4
		104905.1	104905	8	14x1,5	1/4	41	34	12	49	19	19	17	104905.4
		104906.1	104906	10	16x1,5	1/4	43	36	12	51	22	22	19	104906.4
		104907.1	104907	12	18x1,5	3/8	44,5	37,5	12	52,5	24	24	22	104907.4
		104908.1	104908	15	22x1,5	1/2	48	41	14	56	27	30	27	104908.4
		104909.1	104909	18	26x1,5	1/2	52	44,5	14	61	32	36	32	104909.4
	160	104910.1	104910	22	30x2	3/4	55	47,5	16	64	36	41	36	104910.4
		104911.1	104911	28	36x2	1	58	50,5	18	67	41	46	41	104911.4
		104912.1	104912	35	45x2	1 1/4	63	52,5	20	74	50	55	50	104912.4
		104913.1	104913	42	52x2	1 1/2	64	53	22	76	60	65	60	104913.4
S	630	104914.1	104914	6	14x1,5	1/4	45	38	12	53	19	19	17	104914.4
		104915.1	104915	8	16x1,5	1/4	46	39	12	54	22	22	19	104915.4
		104916.1	104916	10	18x1,5	3/8	49	41,5	12	58	24	24	22	104916.4
		104917.1	104917	12	20x1,5	3/8	50	42,5	12	59	27	27	24	104917.4
		104918.1	104918	14	22x1,5	1/2	54	46	14	64	30	30	27	104918.4
	400	104919.1	104919	16	24x1,5	1/2	54	45,5	14	64	32	32	30	104919.4
		104920.1	104920	20	30x2	3/4	59	48,5	16	72	41	41	36	104920.4
		104921.1	104921	25	36x2	1	64	52	18	76	46	46	46	104921.4
		104922.1	104922	30	42x2	1 1/4	69	55,5	20	82	50	50	50	104922.4
	315	104923.1	104923	38	52x2	1 1/2	72	56	22	87	60	65	60	104923.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on request only


MALE STUD COUPLING WITH O-RING AND WASHER

Thread BSP Parallel - Thread Metric Parallel

Type: **1088...1** Only Body
Type: **1089...1** Only Body

Type: **1088... B3** Ring
Type: **1089... B3** Ring

Type: **1088...4** B4 Ring
Type: **1089...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	108801.1	108801	4	1/8	13,3	9,3	6,7	19,8	14	10	-
		108802.1	108802	6	1/8	13,3	7,8	6,7	19,8	14	12	-
		108803.1	108803	8	1/8	14,3	8,8	6,7	20,8	14	14	-
L	315	108804.1	108804	6	1/8	15,3	8,3	6,7	22,8	14	14	108804.4
		108805.1	108805	8	1/4	16,8	9,8	10,2	24,8	19	17	108805.4
		108806.1	108806	10	1/4	17,8	10,8	10,2	25,8	19	19	108806.4
		108807.1	108807	12	3/8	19,3	12,3	10,2	26,8	22	22	108807.4
		108808.1	108808	15	1/2	20,8	13,8	12,2	28,8	27	27	108808.4
		108809.1	108809	18	1/2	21,8	14,3	12,2	30,8	27	32	108809.4
	160	108810.1	108810	22	3/4	23,8	16,3	14,2	32,8	36	36	108810.4
		108811.1	108811	28	1	25,1	17,6	15,4	34,1	41	41	108811.4
		108812.1	108812	35	1 1/4	28,1	17,6	17,4	39,1	50	50	108812.4
		108813.1	108813	42	1 1/2	30,1	19,1	19,4	42,1	55	60	108813.4
S	400	108814.1	108814	6	1/4	19,8	12,8	10,2	27,8	19	17	108814.4
		108815.1	108815	8	1/4	21,8	14,8	10,2	29,8	19	19	108815.4
	315	108816.1	108816	10	3/8	22,3	14,8	10,2	30,8	22	22	108816.4
		108817.1	108817	12	3/8	24,3	16,8	10,2	32,8	22	24	108817.4
		108818.1	108818	14	1/2	26,8	18,8	12,2	36,8	27	27	108818.4
		108819.1	108819	16	1/2	26,8	18,3	12,2	36,8	27	30	108819.4
		108820.1	108820	20	3/4	30,8	20,3	14,2	41,8	36	36	108820.4
	280	108821.1	108821	25	1	35,1	23,1	15,4	47,1	41	46	108821.4
		108822.1	108822	30	1 1/4	37,1	23,6	17,4	50,1	50	50	108822.4
	250	108823.1	108823	38	1 1/2	42,1	26,1	19,4	57,1	55	60	108823.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on request only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	108901.1	108901	4	10x1	13,5	9,5	7,5	20	14	10	-
		108902.1	108902	6	10x1	13,5	8	7,5	20	14	12	-
		108903.1	108903	8	10x1	14,5	9	7,5	21	14	14	-
L	315	108904.1	108904	6	10x1	15,5	8,5	7,5	23	14	14	108904.4
		108905.1	108905	8	12x1,5	16,9	9,9	9,6	24,9	17	17	108905.4
		108906.1	108906	10	14x1,5	17,9	10,9	9,6	25,9	19	19	108906.4
		108907.1	108907	12	16x1,5	19,4	12,4	11,1	26,9	22	22	108907.4
		108908.1	108908	15	18x1,5	20,4	13,4	12,6	28,3	24	27	108908.4
		108909.1	108909	18	22x1,5	21,9	14,4	13,6	30,3	27	32	108909.4
	160	108910.1	108910	22	27x2	24	16,5	16,5	33	32	36	108910.4
		108911.1	108911	28	33x2	25	17,5	16,5	34	41	41	108911.4
		108912.1	108912	35	42x2	28	17,5	17	39	50	50	108912.4
		108913.1	108913	42	48x2	30	19	19,5	42	55	60	108913.4
S	400	108914.1	108914	6	12x1,5	19,9	12,9	9,6	27,9	17	17	108914.4
		108915.1	108915	8	14x1,5	21,9	14,9	9,6	29,9	19	19	108915.4
		108916.1	108916	10	16x1,5	22,4	14,9	11,1	30,9	22	22	108916.4
		108917.1	108917	12	18x1,5	24,4	16,9	12,6	32,9	24	24	108917.4
	315	108918.1	108918	14	20x1,5	26,9	18,9	12,6	36,9	27	27	108918.4
		108919.1	108919	16	22x1,5	26,9	18,4	13,6	36,9	27	30	108919.4
		108920.1	108920	20	27x2	31	20,5	16,5	42	32	36	108920.4
	280	108921.1	108921	25	33x2	35	23	16,5	47	41	46	108921.4
		108922.1	108922	30	42x2	37	23,5	17	50	50	50	108922.4
	250	108923.1	108923	38	48x2	42	26	19,5	57	55	60	108923.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on request only

MALE STUD COUPLING WITH SWIVEL NUT AND ELASTOMER SEAL

Thread BSP Parallel - Thread Metric Parallel

Type: **6005..**Type: **6006..**

Serie	Bar	Ordering Complete	Ø Tube	m	G	L1	L2	CH1	CH2
L	315	600504	6	12x1,5	1/8	24,5	8	14	14
		600505	8	14x1,5	1/4	29,5	12	19	17
		600506	10	16x1,5	1/4	27,5	12	19	19
		600507	12	18x1,5	3/8	34	12	22	22
		600508	15	22x1,5	1/2	32	14	27	27
		600509	18	26x1,5	1/2	31,5	14	27	32
	160	600510	22	30x2	3/4	32,5	16	32	36
		600511	28	36x2	1	35	18	41	41
		600512	35	45x2	1 1/4	42,5	20	50	50
		600513	42	52x2	1 1/2	46,5	22	55	60
S	630	600514	6	14x1,5	1/4	27	12	19	17
		600515	8	16x1,5	1/4	29,5	12	19	19
		600516	10	18x1,5	3/8	32	12	22	22
		600517	12	20x1,5	3/8	34	12	22	24
		600518	14	22x1,5	1/2	36,5	14	27	27
	400	600519	16	24x1,5	1/2	37	14	27	30
		600520	20	30x2	3/4	43	16	32	36
		600521	25	36x2	1	48	18	41	46
		600522	30	42x2	1 1/4	51	20	50	50
	315	600523	38	52x2	1 1/2	60	22	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**


Serie	Bar	Ordering Completo	Ø Tubo	m	M	L1	L2	CH1	CH2
L	315	600604	6	12x1,5	10x1	24,5	8	14	14
		600605	8	14x1,5	12x1,5	26,5	12	17	17
		600606	10	16x1,5	14x1,5	27,5	12	19	19
		600607	12	18x1,5	16x1,5	30,5	12	22	22
		600608	15	22x1,5	18x1,5	31,5	12	24	27
		600609	18	26x1,5	22x1,5	31,5	14	27	32
	160	600610	22	30x2	26x1,5	32,5	16	32	36
		600611	28	36x2	33x2	35	18	41	41
		600612	35	45x2	42x2	42,5	20	50	50
		600613	42	52x2	48x2	46,5	22	55	60
S	630	600614	6	14x1,5	12x1,5	27	12	17	17
		600615	8	16x1,5	14x1,5	29,5	12	19	19
		600616	10	18x1,5	16x1,5	32	12	22	22
		600617	12	20x1,5	18x1,5	34	12	24	24
		600618	14	22x1,5	20x1,5	36,5	14	27	27
	400	600619	16	24x1,5	22x1,5	37	14	27	30
		600620	20	30x2	27x2	43	16	32	36
		600621	25	36x2	33x2	48	18	41	46
		600622	30	42x2	42x2	51	20	50	50
	315	600623	38	52x2	48x2	60	22	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

MALE STUD COUPLING WITH SWIVEL NUT O-RING AND WASHER **Thread BSP Parallel - Thread Metric Parallel**

Tipo: **6007..**

Tipo: **6008..**



Serie	Bar	Ordering Complete	Ø Tube	m	G	L1	L2	CH1	CH2
L	315	600704	6	12x1,5	1/8	25,8	6,7	14	14
		600705	8	14x1,5	1/4	31,3	10,2	19	17
		600706	10	16x1,5	1/4	29,3	10,2	19	19
		600707	12	18x1,5	3/8	32,2	10,2	22	22
		600708	15	22x1,5	1/2	30,2	12,2	27	27
		600709	18	26x1,5	1/2	33,3	12,2	27	32
	160	600710	22	30x2	3/4	34,3	14,2	36	36
		600711	28	36x2	1	37,6	15,4	41	41
		600712	35	45x2	1 1/4	45,1	17,4	50	50
		600713	42	52x2	1 1/2	49,1	19,4	55	60
S	400	600714	6	14x1,5	1/4	28,8	10,2	19	17
		600715	8	16x1,5	1/4	31,3	10,2	19	19
	315	600716	10	18x1,5	3/8	33,8	10,2	22	22
		600717	12	20x1,5	3/8	35,8	10,2	22	24
		600718	14	22x1,5	1/2	38,3	12,2	27	27
		600719	16	24x1,5	1/2	38,8	12,2	27	30
		600720	20	30x2	3/4	44,8	14,2	36	36
	280	600721	25	36x2	1	50,6	15,4	41	46
		600722	30	42x2	1 1/4	53,6	17,4	50	50
	250	600723	38	52x2	1 1/2	62,6	19,4	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

Serie	Bar	Ordering Completo	Ø Tube	m	M	L1	L2	CH1	CH2
L	315	600804	6	12x1,5	10x1	25	7,5	14	14
		600805	8	14x1,5	12x1,5	28,9	9,6	17	17
		600806	10	16x1,5	14x1,5	29,9	9,6	19	19
		600807	12	18x1,5	16x1,5	31,4	11,1	22	22
		600808	15	22x1,5	18x1,5	30,9	12,6	24	27
		600809	18	26x1,5	22x1,5	31,9	13,6	27	32
	160	600810	22	30x2	27x2	32	16,5	32	36
		600811	28	36x2	33x2	36,5	16,5	41	41
		600812	35	45x2	42x2	45,5	17	50	50
		600813	42	52x2	48x2	48	19,5	55	60
S	400	600814	6	14x1,5	12x1,5	28,4	9,6	17	17
		600815	8	16x1,5	14x1,5	30,9	9,6	19	19
		600816	10	18x1,5	16x1,5	32,9	11,1	22	22
		600817	12	20x1,5	18x1,5	33,4	12,6	24	24
	315	600818	14	22x1,5	20x1,5	35,1	12,6	27	27
		600819	16	24x1,5	22x1,5	36,6	13,6	27	30
		600820	20	30x2	27x2	42,5	16,5	32	36
	280	600821	25	36x2	33x2	46,5	16,5	41	46
		600822	30	42x2	42x2	52	17	50	50
	250	600823	38	52x2	48x2	62,5	19,5	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**
 Articles available on request only