




MALE STUD COUPLING Thread Metric Parallel

Type: **1004...1** Solo Corpo

Type: **1004..** B3 Ring

1004...4 B4 Ring




Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
L	315	100404.1	100404	6	10x1	15,5	8,5	8	23	14	14	100404.4
		100405.1	100405	8	12x1,5	17	10	12	25	17	17	100405.4
		100406.1	100406	10	14x1,5	18	11	12	26	19	19	100406.4
		100407.1	100407	12	16x1,5	19,5	12,5	12	27	22	22	100407.4
		100408.1	100408	15	18x1,5	20,5	13,5	12	29	24	27	100408.4
		100409.1	100409	18	22x1,5	22	14,5	14	31	27	32	100409.4
	160	100410.1	100410	22	26x1,5	24	16,5	16	33	32	36	100410.4
		100411.1	100411	28	33x2	25	17,5	18	34	41	41	100411.4
		100412.1	100412	35	42x2	28	17,5	20	39	50	50	100412.4
		100413.1	100413	42	48x2	30	19	22	42	55	60	100413.4
S	630	100414.1	100414	6	12x1,5	20	13	12	28	17	17	100414.4
		100415.1	100415	8	14x1,5	22	15	12	30	19	19	100415.4
		100416.1	100416	10	16x1,5	22,5	15	12	31	22	22	100416.4
		100417.1	100417	12	18x1,5	24,5	17	12	33	24	24	100417.4
		100418.1	100418	14	20x1,5	27	19	14	37	27	27	100418.4
	400	100419.1	100419	16	22x1,5	27	18,5	14	37	27	30	100419.4
		100420.1	100420	20	27x2	31	20,5	16	42	32	36	100420.4
		100421.1	100421	25	33x2	35	23	18	47	41	46	100421.4
		100422.1	100422	30	42x2	37	23,5	20	50	50	50	100422.4
	315	100423.1	100423	38	48x2	42	26	22	57	55	60	100423.4
L	315	100425.1*	100425*	8	18x1,5	18,5	11,5	12	26,5	24	17	100425.4*
		100426.1*	100426*	10	16x1,5	19,5	12,5	12	27,5	22	19	100426.4*
		100427.1*	100427*	10	18x1,5	19,5	12,5	12	27,5	24	19	100427.4*
		100428.1*	100428*	10	22x1,5	21	14	14	29	27	19	100428.4*
		100429.1*	100429*	12	14x1,5	19,5	12,5	12	27	19	22	100429.4*
		100430.1*	100430*	12	18x1,5	19,5	12,5	12	27	24	22	100430.4*
		100431.1*	100431*	12	22x1,5	21	14	14	28,5	27	22	100431.4*
		100432.1*	100432*	15	16x1,5	20	13	12	28	24	27	100432.4*
		100433.1*	100433*	15	22x1,5	22	15	14	30	27	27	100433.4*
		100434.1*	100434*	18	18x1,5	21,5	14	12	30,5	27	32	100434.4*
S	160	100435.1*	100435*	22	22x1,5	24	16,5	14	33	32	36	100435.4*
	630	100436.1*	100436*	12	22x1,5	25	17,5	14	33,5	27	24	100436.4*
	400	100437.1*	100437*	16	18x1,5	26,5	18	12	36,5	27	30	100437.4*
		100438.1*	100438*	20	22x1,5	31	20,5	14	42	32	36	100438.4*
		100439.1*	100439*	25	27x2	35	23	16	47	41	46	100439.4*
L	315	100440.1*	100440*	30	33x2	37	23,5	18	50	46	50	100440.4*
L	315	100441.1*	100441*	8	10x1	16,5	8,5	8	24,5	14	17	100441.4*

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**


*Articles available on request only

MALE STUD COUPLING WITH ELASTOMER SEA Thread Metric Parallel


Type: **1006...1** Only Body



Type: **1006... B3** Ring



Type: **1006...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	100601.1	100601	4	8x1	13,5	9,5	8	20	12	10	-
		100602.1	100602	6	10x1	13,5	8	8	20	14	12	-
		100603.1	100603	8	10x1	14,5	9	8	21	14	14	-
L	315	100604.1	100604	6	10x1	15,5	8,5	8	23	14	14	100604.4
		100605.1	100605	8	12x1,5	17	10	12	25	17	17	100605.4
		100606.1	100606	10	14x1,5	18	11	12	26	19	19	100606.4
		100607.1	100607	12	16x1,5	19,5	12,5	12	27	22	22	100607.4
		100608.1	100608	15	18x1,5	20,5	13,5	12	29	24	27	100608.4
		100609.1	100609	18	22x1,5	22	14,5	14	31	27	32	100609.4
	160	100610.1	100610	22	26x1,5	24	16,5	16	33	32	36	100610.4
		100611.1	100611	28	33x2	25	17,5	18	34	41	41	100611.4
		100612.1	100612	35	42x2	28	17,5	20	39	50	50	100612.4
		100613.1	100613	42	48x2	30	19	22	42	55	60	100613.4
S	630	100614.1	100614	6	12x1,5	20	13	12	28	17	17	100614.4
		100615.1	100615	8	14x1,5	22	15	12	30	19	19	100615.4
		100616.1	100616	10	16x1,5	22,5	15	12	31	22	22	100616.4
		100617.1	100617	12	18x1,5	24,5	17	12	33	24	24	100617.4
		100618.1	100618	14	20x1,5	27	19	14	37	27	27	100618.4
	400	100619.1	100619	16	22x1,5	27	18,5	14	37	27	30	100619.4
		100620.1	100620	20	27x2	31	20,5	16	42	32	36	100620.4
		100621.1	100621	25	33x2	35	23	18	47	41	46	100621.4
		100622.1	100622	30	42x2	37	23,5	20	50	50	50	100622.4
	315	100623.1	100623	38	48x2	42	26	22	57	55	60	100623.4
L	315	100625.1	100625	8	18x1,5	18,5	11,5	12	26,5	24	17	100625.4
		100626.1	100626	10	16x1,5	19,5	12,5	12	27,5	22	19	100626.4
		100627.1	100627	10	18x1,5	19,5	12,5	12	27,5	24	19	100627.4
		100628.1	100628	10	22x1,5	21	14	14	29	27	19	100628.4
		100629.1	100629	12	14x1,5	19,5	12,5	12	27	19	22	100629.4
		100630.1	100630	12	18x1,5	19,5	12,5	12	27	24	22	100630.4
		100631.1	100631	12	22x1,5	21	14	14	28,5	27	22	100631.4
		100632.1	100632	15	16x1,5	20	13	12	28	24	27	100632.4
		100633.1	100633	15	22x1,5	22	15	14	30	27	27	100633.4
		100634.1	100634	18	18x1,5	21,5	14	12	30,5	27	32	100634.4
	160	100635.1	100635	22	22x1,5	24	16,5	14	33	32	36	100635.4
S	630	100636.1	100636	12	22x1,5	25	17,5	14	33,5	27	24	100636.4
	400	100637.1	100637	16	18x1,5	26,5	18	12	36,5	27	30	100637.4
		100638.1	100638	20	22x1,5	31	20,5	14	42	32	36	100638.4
		100639.1	100639	25	27x2	35	23	16	47	41	46	100639.4
		100640.1	100640	30	33x2	37	23,5	18	50	46	50	100640.4
L	315	100641.1	100641	8	10x1	16,5	8,5	8	24,5	14	17	100641.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**




STUD STANDPIPE ADAPTOR WITH ELASTOMER SEAL

Thread BSP Parallel - Thread Metric Parallel

Type: **10CTG..R** Only Body
Type: **10CTG..M** Only Body

Type: **1011..** B3 Ring
Type: **1012..** B3 Ring

Type: **1011...4** B4 Ring
Type: **1012...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	m	G	L1	L2	CH1	CH2	Ordering Equipped B4
L	315	10CTG04R	101104	6	12x1,5	1/8	24,5	8	14	14	101104.4
		10CTG05R	101105	8	14x1,5	1/4	29,5	12	19	17	101105.4
		10CTG06R	101106	10	16x1,5	1/4	27,5	12	19	19	101106.4
		10CTG07R	101107	12	18x1,5	3/8	34	12	22	22	101107.4
		10CTG08R	101108	15	22x1,5	1/2	32	14	27	27	101108.4
		10CTG09R	101109	18	26x1,5	1/2	31,5	14	27	32	101109.4
	160	10CTG10R	101110	22	30x2	3/4	32,5	16	32	36	101110.4
		10CTG11R	101111	28	36x2	1	35	18	41	41	101111.4
		10CTG12R	101112	35	45x2	1 1/4	42,5	20	50	50	101112.4
		10CTG13R	101113	42	52x2	1 1/2	46,5	22	55	60	101113.4
S	630	10CTG14R	101114	6	14x1,5	1/4	27	12	19	17	101114.4
		10CTG15R	101115	8	16x1,5	1/4	29,5	12	19	19	101115.4
		10CTG16R	101116	10	18x1,5	3/8	32	12	22	22	101116.4
		10CTG17R	101117	12	20x1,5	3/8	34	12	22	24	101117.4
		10CTG18R	101118	14	22x1,5	1/2	36,5	14	27	27	101118.4
	400	10CTG19R	101119	16	24x1,5	1/2	37	14	27	30	101119.4
		10CTG20R	101120	20	30x2	3/4	43	16	32	36	101120.4
		10CTG21R	101121	25	36x2	1	48	18	41	46	101121.4
		10CTG22R	101122	30	42x2	1 1/4	51	20	50	50	101122.4
	315	10CTG23R	101123	38	52x2	1 1/2	60	22	55	60	101123.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	m	M	L1	L2	CH1	CH2	Ordering Equipped B4
L	315	10CTG04M	101204	6	12x1,5	10x1	24,5	8	14	14	101204.4
		10CTG05M	101205	8	14x1,5	12x1,5	26,5	12	17	17	101205.4
		10CTG06M	101206	10	16x1,5	14x1,5	27,5	12	19	19	101206.4
		10CTG07M	101207	12	18x1,5	16x1,5	30,5	12	22	22	101207.4
		10CTG08M	101208	15	22x1,5	18x1,5	31,5	12	24	27	101208.4
		10CTG09M	101209	18	26x1,5	22x1,5	31,5	14	27	32	101209.4
	160	10CTG10M	101210	22	30x2	26x1,5	32,5	16	32	36	101210.4
		10CTG11M	101211	28	36x2	33x2	35	18	41	41	101211.4
		10CTG12M	101212	35	45x2	42x2	42,5	20	50	50	101212.4
		10CTG13M	101213	42	52x2	48x2	46,5	22	55	60	101213.4
S	630	10CTG14M	101214	6	14x1,5	12x1,5	27	12	17	17	101214.4
		10CTG15M	101215	8	16x1,5	14x1,5	29,5	12	19	19	101215.4
		10CTG16M	101216	10	18x1,5	16x1,5	32	12	22	22	101216.4
		10CTG17M	101217	12	20x1,5	18x1,5	34	12	24	24	101217.4
		10CTG18M	101218	14	22x1,5	20x1,5	36,5	14	27	27	101218.4
	400	10CTG19M	101219	16	24x1,5	22x1,5	37	14	27	30	101219.4
		10CTG20M	101220	20	30x2	27x2	43	16	32	36	101220.4
		10CTG21M	101221	25	36x2	33x2	48	18	41	46	101221.4
		10CTG22M	101222	30	42x2	42x2	51	20	50	50	101222.4
	315	10CTG23M	101223	38	52x2	48x2	60	22	55	60	101223.4




Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

MALE STUD COUPLING Thread Metric Taper

Type: **1019...1** Only Body

Type: **1019..** B3 Ring

Type: **1019...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
L	315	101904.1	101904	6	10x1	14	7	8	22	12	14	101904.4
		101905.1	101905	8	12x1,5	15	8	12	23	17	17	101905.4
		101906.1	101906	10	14x1,5	16	9	12	24	17	19	101906.4
		101907.1	101907	12	16x1,5	17	10	12	24,5	19	22	101907.4
		101908.1	101908	15	18x1,5	18	11	12	26	24	27	101908.4
		101909.1	101909	18	22x1,5	19	11,5	14	28	27	32	101909.4
S	630	101914.1	101914	6	12x1,5	18	11	12	26	17	17	101914.4
		101915.1	101915	8	14x1,5	20	13	12	28	17	19	101915.4
		101916.1	101916	10	16x1,5	20	12,5	12	28,5	19	22	101916.4
		101917.1	101917	12	18x1,5	22	14,5	12	30,5	22	24	101917.4
		101918.1	101918	14	20x1,5	24	16	14	34	24	27	101918.4
	400	101919.1	101919	16	22x1,5	24	15,5	14	34	27	30	101919.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm available on request only


MALE STUD COUPLING WITH O-RING AND WASHER

Thread BSP Parallel - Thread Metric Parallel

Type: **1088...1** Only Body
Type: **1089...1** Only Body

Type: **1088... B3 Ring**
Type: **1089... B3 Ring**

Type: **1088...4 B4 Ring**
Type: **1089...4 B4 Ring**



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	108801.1	108801	4	1/8	13,3	9,3	6,7	19,8	14	10	-
		108802.1	108802	6	1/8	13,3	7,8	6,7	19,8	14	12	-
		108803.1	108803	8	1/8	14,3	8,8	6,7	20,8	14	14	-
L	315	108804.1	108804	6	1/8	15,3	8,3	6,7	22,8	14	14	108804.4
		108805.1	108805	8	1/4	16,8	9,8	10,2	24,8	19	17	108805.4
		108806.1	108806	10	1/4	17,8	10,8	10,2	25,8	19	19	108806.4
		108807.1	108807	12	3/8	19,3	12,3	10,2	26,8	22	22	108807.4
		108808.1	108808	15	1/2	20,8	13,8	12,2	28,8	27	27	108808.4
		108809.1	108809	18	1/2	21,8	14,3	12,2	30,8	27	32	108809.4
	160	108810.1	108810	22	3/4	23,8	16,3	14,2	32,8	36	36	108810.4
		108811.1	108811	28	1	25,1	17,6	15,4	34,1	41	41	108811.4
		108812.1	108812	35	1 1/4	28,1	17,6	17,4	39,1	50	50	108812.4
		108813.1	108813	42	1 1/2	30,1	19,1	19,4	42,1	55	60	108813.4
S	400	108814.1	108814	6	1/4	19,8	12,8	10,2	27,8	19	17	108814.4
		108815.1	108815	8	1/4	21,8	14,8	10,2	29,8	19	19	108815.4
	315	108816.1	108816	10	3/8	22,3	14,8	10,2	30,8	22	22	108816.4
		108817.1	108817	12	3/8	24,3	16,8	10,2	32,8	22	24	108817.4
		108818.1	108818	14	1/2	26,8	18,8	12,2	36,8	27	27	108818.4
		108819.1	108819	16	1/2	26,8	18,3	12,2	36,8	27	30	108819.4
		108820.1	108820	20	3/4	30,8	20,3	14,2	41,8	36	36	108820.4
	280	108821.1	108821	25	1	35,1	23,1	15,4	47,1	41	46	108821.4
		108822.1	108822	30	1 1/4	37,1	23,6	17,4	50,1	50	50	108822.4
	250	108823.1	108823	38	1 1/2	42,1	26,1	19,4	57,1	55	60	108823.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on request only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	CH1	CH2	Ordering Equipped B4
LL	100	108901.1	108901	4	10x1	13,5	9,5	7,5	20	14	10	-
		108902.1	108902	6	10x1	13,5	8	7,5	20	14	12	-
		108903.1	108903	8	10x1	14,5	9	7,5	21	14	14	-
L	315	108904.1	108904	6	10x1	15,5	8,5	7,5	23	14	14	108904.4
		108905.1	108905	8	12x1,5	16,9	9,9	9,6	24,9	17	17	108905.4
		108906.1	108906	10	14x1,5	17,9	10,9	9,6	25,9	19	19	108906.4
		108907.1	108907	12	16x1,5	19,4	12,4	11,1	26,9	22	22	108907.4
		108908.1	108908	15	18x1,5	20,4	13,4	12,6	28,3	24	27	108908.4
		108909.1	108909	18	22x1,5	21,9	14,4	13,6	30,3	27	32	108909.4
	160	108910.1	108910	22	27x2	24	16,5	16,5	33	32	36	108910.4
		108911.1	108911	28	33x2	25	17,5	16,5	34	41	41	108911.4
		108912.1	108912	35	42x2	28	17,5	17	39	50	50	108912.4
		108913.1	108913	42	48x2	30	19	19,5	42	55	60	108913.4
S	400	108914.1	108914	6	12x1,5	19,9	12,9	9,6	27,9	17	17	108914.4
		108915.1	108915	8	14x1,5	21,9	14,9	9,6	29,9	19	19	108915.4
		108916.1	108916	10	16x1,5	22,4	14,9	11,1	30,9	22	22	108916.4
		108917.1	108917	12	18x1,5	24,4	16,9	12,6	32,9	24	24	108917.4
	315	108918.1	108918	14	20x1,5	26,9	18,9	12,6	36,9	27	27	108918.4
		108919.1	108919	16	22x1,5	26,9	18,4	13,6	36,9	27	30	108919.4
		108920.1	108920	20	27x2	31	20,5	16,5	42	32	36	108920.4
	280	108921.1	108921	25	33x2	35	23	16,5	47	41	46	108921.4
		108922.1	108922	30	42x2	37	23,5	17	50	50	50	108922.4
	250	108923.1	108923	38	48x2	42	26	19,5	57	55	60	108923.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on request only

MALE STUD COUPLING WITH SWIVEL NUT AND ELASTOMER SEAL

Thread BSP Parallel - Thread Metric Parallel

Type: **6005..**Type: **6006..**

Serie	Bar	Ordering Complete	Ø Tube	m	G	L1	L2	CH1	CH2
L	315	600504	6	12x1,5	1/8	24,5	8	14	14
		600505	8	14x1,5	1/4	29,5	12	19	17
		600506	10	16x1,5	1/4	27,5	12	19	19
		600507	12	18x1,5	3/8	34	12	22	22
		600508	15	22x1,5	1/2	32	14	27	27
		600509	18	26x1,5	1/2	31,5	14	27	32
	160	600510	22	30x2	3/4	32,5	16	32	36
		600511	28	36x2	1	35	18	41	41
		600512	35	45x2	1 1/4	42,5	20	50	50
		600513	42	52x2	1 1/2	46,5	22	55	60
S	630	600514	6	14x1,5	1/4	27	12	19	17
		600515	8	16x1,5	1/4	29,5	12	19	19
		600516	10	18x1,5	3/8	32	12	22	22
		600517	12	20x1,5	3/8	34	12	22	24
		600518	14	22x1,5	1/2	36,5	14	27	27
	400	600519	16	24x1,5	1/2	37	14	27	30
		600520	20	30x2	3/4	43	16	32	36
		600521	25	36x2	1	48	18	41	46
		600522	30	42x2	1 1/4	51	20	50	50
	315	600523	38	52x2	1 1/2	60	22	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**


Serie	Bar	Ordering Completo	Ø Tubo	m	M	L1	L2	CH1	CH2
L	315	600604	6	12x1,5	10x1	24,5	8	14	14
		600605	8	14x1,5	12x1,5	26,5	12	17	17
		600606	10	16x1,5	14x1,5	27,5	12	19	19
		600607	12	18x1,5	16x1,5	30,5	12	22	22
		600608	15	22x1,5	18x1,5	31,5	12	24	27
		600609	18	26x1,5	22x1,5	31,5	14	27	32
	160	600610	22	30x2	26x1,5	32,5	16	32	36
		600611	28	36x2	33x2	35	18	41	41
		600612	35	45x2	42x2	42,5	20	50	50
		600613	42	52x2	48x2	46,5	22	55	60
S	630	600614	6	14x1,5	12x1,5	27	12	17	17
		600615	8	16x1,5	14x1,5	29,5	12	19	19
		600616	10	18x1,5	16x1,5	32	12	22	22
		600617	12	20x1,5	18x1,5	34	12	24	24
		600618	14	22x1,5	20x1,5	36,5	14	27	27
	400	600619	16	24x1,5	22x1,5	37	14	27	30
		600620	20	30x2	27x2	43	16	32	36
		600621	25	36x2	33x2	48	18	41	46
		600622	30	42x2	42x2	51	20	50	50
	315	600623	38	52x2	48x2	60	22	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

MALE STUD COUPLING WITH SWIVEL NUT O-RING AND WASHER **Thread BSP Parallel - Thread Metric Parallel**

Tipo: **6007..**

Tipo: **6008..**



Serie	Bar	Ordering Complete	Ø Tube	m	G	L1	L2	CH1	CH2
L	315	600704	6	12x1,5	1/8	25,8	6,7	14	14
		600705	8	14x1,5	1/4	31,3	10,2	19	17
		600706	10	16x1,5	1/4	29,3	10,2	19	19
		600707	12	18x1,5	3/8	32,2	10,2	22	22
		600708	15	22x1,5	1/2	30,2	12,2	27	27
		600709	18	26x1,5	1/2	33,3	12,2	27	32
	160	600710	22	30x2	3/4	34,3	14,2	36	36
		600711	28	36x2	1	37,6	15,4	41	41
		600712	35	45x2	1 1/4	45,1	17,4	50	50
		600713	42	52x2	1 1/2	49,1	19,4	55	60
S	400	600714	6	14x1,5	1/4	28,8	10,2	19	17
		600715	8	16x1,5	1/4	31,3	10,2	19	19
	315	600716	10	18x1,5	3/8	33,8	10,2	22	22
		600717	12	20x1,5	3/8	35,8	10,2	22	24
		600718	14	22x1,5	1/2	38,3	12,2	27	27
		600719	16	24x1,5	1/2	38,8	12,2	27	30
		600720	20	30x2	3/4	44,8	14,2	36	36
	280	600721	25	36x2	1	50,6	15,4	41	46
		600722	30	42x2	1 1/4	53,6	17,4	50	50
	250	600723	38	52x2	1 1/2	62,6	19,4	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

Serie	Bar	Ordering Completo	Ø Tube	m	M	L1	L2	CH1	CH2
L	315	600804	6	12x1,5	10x1	25	7,5	14	14
		600805	8	14x1,5	12x1,5	28,9	9,6	17	17
		600806	10	16x1,5	14x1,5	29,9	9,6	19	19
		600807	12	18x1,5	16x1,5	31,4	11,1	22	22
		600808	15	22x1,5	18x1,5	30,9	12,6	24	27
		600809	18	26x1,5	22x1,5	31,9	13,6	27	32
	160	600810	22	30x2	27x2	32	16,5	32	36
		600811	28	36x2	33x2	36,5	16,5	41	41
		600812	35	45x2	42x2	45,5	17	50	50
		600813	42	52x2	48x2	48	19,5	55	60
S	400	600814	6	14x1,5	12x1,5	28,4	9,6	17	17
		600815	8	16x1,5	14x1,5	30,9	9,6	19	19
		600816	10	18x1,5	16x1,5	32,9	11,1	22	22
		600817	12	20x1,5	18x1,5	33,4	12,6	24	24
	315	600818	14	22x1,5	20x1,5	35,1	12,6	27	27
		600819	16	24x1,5	22x1,5	36,6	13,6	27	30
		600820	20	30x2	27x2	42,5	16,5	32	36
	280	600821	25	36x2	33x2	46,5	16,5	41	46
		600822	30	42x2	42x2	52	17	50	50
	250	600823	38	52x2	48x2	62,5	19,5	55	60

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**
 Articles available on request only