


STRAIGHT REDUCING COUPLING

Type: **1041...1** Only Body

Type: **1041..** B3 Ring

Type: **1041...4** B4 Ring




Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube		L1	L2	L3	CH1	CH2	CH3	Ordering Equipped B4
				D1	D2							
L	315	104104.1	104104	8	6	25	11	40,5	14	17	14	104104.4
		104105.1	104105	10	6	26	12	41,5	17	19	14	104105.4
		104106.1	104106	10	8	26	12	42	17	19	17	104106.4
		104107.1	104107	12	6	27	13	42	19	22	14	104107.4
		104108.1	104108	12	8	27	13	42,5	19	22	17	104108.4
		104109.1	104109	12	10	28	14	43,5	19	22	19	104109.4
		104110.1	104110	15	10	29	15	45	24	27	19	104110.4
		104111.1	104111	15	12	29	15	44,5	24	27	22	104111.4
		104112.1	104112	18	10	30	15,5	47	27	32	19	104112.4
		104113.1	104113	18	12	30	15,5	46,5	27	32	22	104113.4
		104114.1	104114	18	15	31	16,5	48	27	32	27	104114.4
	160	104115.1	104115	22	12	32	17,5	48,5	32	36	22	104115.4
		104116.1	104116	22	15	33	18,5	50	32	36	27	104116.4
		104117.1	104117	22	18	33	18	51	32	36	32	104117.4
		104118.1	104118	28	18	34	19	52	41	41	32	104118.4
		104119.1	104119	28	22	36	21	54	41	41	36	104119.4
		104120.1	104120	35	22	39	21	59	46	50	36	104120.4
		104121.1	104121	35	28	39	21	59	46	50	41	104121.4
S	630	104122.1	104122	8	6	32	18	48	17	19	17	104122.4
		104123.1	104123	10	6	32	17,5	48,5	19	22	17	104123.4
		104124.1	104124	10	8	32	17,5	48,5	19	22	19	104124.4
		104125.1	104125	12	6	34	19,5	50,5	22	24	17	104125.4
		104126.1	104126	12	8	34	19,5	50,5	22	24	19	104126.4
		104127.1	104127	12	10	34	19	51	22	24	22	104127.4
		104128.1	104128	14	10	36	20,5	54,5	24	27	22	104128.4
		104129.1	104129	14	12	36	20,5	54,5	24	27	24	104129.4
	400	104130.1	104130	16	12	36	20	54,5	27	30	24	104130.4
		104131.1	104131	16	14	38	21,5	58	27	30	27	104131.4
		104132.1	104132	20	10	40	22	59,5	32	36	22	104132.4
		104133.1	104133	20	12	40	22	59,5	32	36	24	104133.4
		104134.1	104134	20	16	42	23	63	32	36	30	104134.4
		104135.1	104135	25	16	46	25,5	68	41	46	30	104135.4
		104136.1	104136	25	20	48	25,5	71	41	46	36	104136.4
		104137.1	104137	30	20	50	26	74	46	50	36	104137.4
		104138.1	104138	30	25	52	26,5	77	46	50	46	104138.4
	315	104139.1	104139	38	30	59	29,5	87	55	60	50	104139.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles available on scheduled orders only

REDUCING STANDPIPE L SERIES

Type: **1053...1** B3 Ring





Type: **1053...1.4** B4 Ring



Serie	Bar	Ordering Preassembled B3	D1	D2	m	L1	L2	CH1	CH2	Ordering Preassembled B4
L	315	105301.1	8	6	14x1,5	32,5	25,5	12	17	105301.1.4
		105302.1	10	6	16x1,5	33	26	12	19	105302.1.4
		105303.1	12	6	18x1,5	34	27	14	22	105303.1.4
		105304.1	15	6	22x1,5	34	27	17	27	105304.1.4
		105305.1	18	6	26x1,5	36,5	29,5	19	32	105305.1.4
	160	105306.1	22	6	30x2	37,5	30,5	24	36	105306.1.4
		105307.1	28	6	36x2	39	32	30	41	105307.1.4
		105308.1	35	6	45x2	45,5	38,5	36	50	105308.1.4
		105309.1	42	6	52x2	46,5	39,5	46	60	105309.1.4
	315	105310.1	10	8	16x1,5	34	27	14	19	105310.1.4
		105311.1	12	8	18x1,5	34	27	14	22	105311.1.4
		105312.1	15	8	22x1,5	34	27	17	27	105312.1.4
		105313.1	18	8	26x1,5	36,5	29,5	19	32	105313.1.4
	160	105314.1	22	8	30x2	37,5	30,5	24	36	105314.1.4
		105315.1	28	8	36x2	39	32	30	41	105315.1.4
		105316.1	35	8	45x2	45,5	38,5	36	50	105316.1.4
		105317.1	42	8	52x2	46,5	39,5	46	60	105317.1.4
	315	105318.1	12	10	18x1,5	35	28	17	22	105318.1.4
		105319.1	15	10	22x1,5	35	28	17	27	105319.1.4
		105320.1	18	10	26x1,5	37,5	30,5	19	32	105320.1.4
	160	105321.1	22	10	30x2	38,5	31,5	24	36	105321.1.4
		105322.1	28	10	36x2	40	33	30	41	105322.1.4
		105323.1	35	10	45x2	46,5	39,5	36	50	105323.1.4
		105324.1	42	10	52x2	47,5	40,5	46	60	105324.1.4
	315	105325.1	15	12	22x1,5	36	29	19	27	105325.1.4
		105326.1	18	12	26x1,5	37,5	30,5	19	32	105326.1.4
	160	105327.1	22	12	30x2	38,5	31,5	24	36	105327.1.4
		105328.1	28	12	36x2	40	33	30	41	105328.1.4
		105329.1	35	12	45x2	46,5	39,5	36	50	105329.1.4
		105330.1	42	12	52x2	47,5	40,5	46	60	105330.1.4
	315	105331.1	18	15	26x1,5	38,5	31,5	24	32	105331.1.4
	160	105332.1	22	15	30x2	39,5	32,5	24	36	105332.1.4
		105333.1	28	15	36x2	41	34	30	41	105333.1.4
		105334.1	35	15	45x2	47,5	40,5	36	50	105334.1.4
		105335.1	42	15	52x2	48,5	41,5	46	60	105335.1.4
		105336.1	22	18	30x2	40	32,5	27	36	105336.1.4
		105337.1	28	18	36x2	41	33,5	30	41	105337.1.4
		105338.1	35	18	45x2	47,5	40	36	50	105338.1.4
		105339.1	42	18	52x2	48,5	41	46	60	105339.1.4
		105340.1	28	22	36x2	43	35,5	32	41	105340.1.4
		105341.1	35	22	45x2	49,5	42	36	50	105341.1.4
		105342.1	42	22	52x2	50,5	43	46	60	105342.1.4
		105343.1	35	28	45x2	49,5	42	41	50	105343.1.4
		105344.1	42	28	52x2	50,5	43	46	60	105344.1.4
		105345.1	42	35	52x2	52,5	42	46	60	105345.1.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**



REDUCING STANDPIPE L SERIES

Type: **1053..** B3 RingType: **1053...4** B4 Ring

Serie	Bar	Ordering Equipped B3	D1	D2	m	L1	L2	CH1	CH2	CH3	Ordering Equipped B4
L	315	105301	8	6	14x1,5	40	25,5	12	14	17	105301.4
		105302	10	6	16x1,5	40,5	26	12	14	19	105302.4
		105303	12	6	18x1,5	41,5	27	14	14	22	105303.4
		105304	15	6	22x1,5	41,5	27	17	14	27	105304.4
		105305	18	6	26x1,5	44	29,5	19	14	32	105305.4
	160	105306	22	6	30x2	45	30,5	24	14	36	105306.4
		105307	28	6	36x2	46,5	32	30	14	41	105307.4
		105308	35	6	45x2	53	38,5	36	14	50	105308.4
		105309	42	6	52x2	54	39,5	46	14	60	105309.4
	315	105310	10	8	16x1,5	42	27	14	17	19	105310.4
		105311	12	8	18x1,5	42	27	14	17	22	105311.4
		105312	15	8	22x1,5	42	27	17	17	27	105312.4
		105313	18	8	26x1,5	44,5	29,5	19	17	32	105313.4
	160	105314	22	8	30x2	45,5	30,5	24	17	36	105314.4
		105315	28	8	36x2	47	32	30	17	41	105315.4
		105316	35	8	45x2	53,5	38,5	36	17	50	105316.4
		105317	42	8	52x2	54,5	39,5	46	17	60	105317.4
	315	105318	12	10	18x1,5	43	28	17	19	22	105318.4
		105319	15	10	22x1,5	43	28	17	19	27	105319.4
		105320	18	10	26x1,5	45,5	30,5	19	19	32	105320.4
	160	105321	22	10	30x2	46,5	31,5	24	19	36	105321.4
		105322	28	10	36x2	48	33	30	19	41	105322.4
		105323	35	10	45x2	54,5	39,5	36	19	50	105323.4
		105324	42	10	52x2	55,5	40,5	46	19	60	105324.4
	315	105325	15	12	22x1,5	43,5	29	19	22	27	105325.4
		105326	18	12	26x1,5	45	30,5	19	22	32	105326.4
	160	105327	22	12	30x2	46	31,5	24	22	36	105327.4
		105328	28	12	36x2	47,5	33	30	22	41	105328.4
		105329	35	12	45x2	54	39,5	36	22	50	105329.4
		105330	42	12	52x2	55	40,5	46	22	60	105330.4
	315	105331	18	15	26x1,5	46,5	31,5	24	27	32	105331.4
	160	105332	22	15	30x2	47,5	32,5	24	27	36	105332.4
		105333	28	15	36x2	49	34	30	27	41	105333.4
		105334	35	15	45x2	55,5	40,5	36	27	50	105334.4
		105335	42	15	52x2	56,5	41,5	46	27	60	105335.4
		105336	22	18	30x2	49	32,5	27	32	36	105336.4
		105337	28	18	36x2	50	33,5	30	32	41	105337.4
		105338	35	18	45x2	56,5	40	36	32	50	105338.4
		105339	42	18	52x2	57,5	41	46	32	60	105339.4
		105340	28	22	36x2	52	35,5	32	36	41	105340.4
		105341	35	22	45x2	58,5	42	36	36	50	105341.4
		105342	42	22	52x2	59,5	43	46	36	60	105342.4
		105343	35	28	45x2	58,5	42	41	41	50	105343.4
		105344	42	28	52x2	59,5	43	46	41	60	105344.4
		105345	42	35	52x2	63,5	42	46	50	60	105345.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**



REDUCING STANDPIPE S SERIES

Type: **1054...1** B3 RingType: **1054...1.4** B4 Ring

Serie	Bar	Ordering Preassembled B3	D1	D2	m	L1	L2	CH1	CH2	Ordering Preassembled B4
S	630	105401.1	8	6	16x1,5	36	29	14	19	105401.1.4
		105402.1	10	6	18x1,5	38,5	31,5	14	22	105402.1.4
		105403.1	12	6	20x1,5	38	31	14	24	105403.1.4
		105404.1	14	6	22x1,5	42	35	17	27	105404.1.4
	400	105405.1	16	6	24x1,5	43	36	17	30	105405.1.4
		105406.1	20	6	30x2	48,5	41,5	22	36	105406.1.4
		105407.1	25	6	36x2	51	44	27	46	105407.1.4
		105408.1	30	6	42x2	55,5	48,5	32	50	105408.1.4
	315	105409.1	38	6	52x2	61,5	54	41	60	105409.1.4
	630	105410.1	10	8	18x1,5	40,5	33,5	17	22	105410.1.4
		105411.1	12	8	20x1,5	40	33	17	24	105411.1.4
		105412.1	14	8	22x1,5	42	35	17	27	105412.1.4
	400	105413.1	16	8	24x1,5	43	36	17	30	105413.1.4
		105414.1	20	8	30x2	48,5	41	22	36	105414.1.4
		105415.1	25	8	36x2	51	44	27	46	105415.1.4
		105416.1	30	8	42x2	55,5	48,5	32	50	105416.1.4
	315	105417.1	38	8	52x2	61,5	54,5	41	60	105417.1.4
	630	105418.1	12	10	20x1,5	40	32,5	19	24	105418.1.4
		105419.1	14	10	22x1,5	42	34,5	19	27	105419.1.4
	400	105420.1	16	10	24x1,5	43	35,5	19	30	105420.1.4
		105421.1	20	10	30x2	48,5	41	22	36	105421.1.4
		105422.1	25	10	36x2	51	43,5	27	46	105422.1.4
	250	105423.1	30	10	42x2	55,5	48	32	50	105423.1.4
		105424.1	38	10	52x2	61,5	54	41	60	105424.1.4
	630	105425.1	14	12	22x1,5	44	36,5	22	27	105425.1.4
	400	105426.1	16	12	24x1,5	45	37,5	22	30	105426.1.4
		105427.1	20	12	30x2	48,5	41	22	36	105427.1.4
		105428.1	25	12	36x2	51	43,5	27	46	105428.1.4
		105429.1	30	12	42x2	55,5	48	32	50	105429.1.4
	315	105430.1	38	12	52x2	61,5	54	41	60	105430.1.4
	400	105431.1	16	14	24x1,5	47	39	24	30	105431.1.4
		105432.1	20	14	30x2	50,5	42,5	24	36	105432.1.4
		105433.1	25	14	36x2	53	45	27	46	105433.1.4
	250	105434.1	30	14	42x2	57,5	49,5	32	50	105434.1.4
		105435.1	38	14	52x2	63,5	55,5	41	60	105435.1.4
	400	105436.1	20	16	30x2	50,5	42	27	36	105436.1.4
		105437.1	25	16	36x2	53	44,5	27	46	105437.1.4
		105438.1	30	16	42x2	57,5	49	32	50	105438.1.4
	315	105439.1	38	16	52x2	63,5	55	41	60	105439.1.4
	400	105440.1	25	20	36x2	57	46,5	32	46	105440.1.4
		105441.1	30	20	42x2	59,5	49	32	50	105441.1.4
		105442.1	38	20	52x2	65,5	55	41	60	105442.1.4
		105443.1	30	25	42x2	63,5	51,5	41	50	105443.1.4
	315	105444.1	38	25	52x2	67,5	55,5	41	60	105444.1.4
		105445.1	38	30	52x2	69,5	56	46	60	105445.1.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**




REDUCING STANDPIPE S SERIES

Type: **1054..** B3 RingType: **1054...4** B4 Ring

Serie	Bar	Ordering Equipped B3	D1	D2	m	L1	L2	CH1	CH2	CH3	Ordering Equipped B4
S	630	105401	8	6	16x1,5	44	29	14	17	19	105401.4
		105402	10	6	18x1,5	46,5	31,5	14	17	22	105402.4
		105403	12	6	20x1,5	46	31	14	17	24	105403.4
		105404	14	6	22x1,5	50	35	17	17	27	105404.4
	400	105405	16	6	24x1,5	51	36	17	17	30	105405.4
		105406	20	6	30x2	56,5	41,5	22	17	36	105406.4
		105407	25	6	36x2	59	44	27	17	46	105407.4
		105408	30	6	42x2	63,5	48,5	32	17	50	105408.4
	315	105409	38	6	52x2	69,5	54	41	17	60	105409.4
	630	105410	10	8	18x1,5	48,5	33,5	17	19	22	105410.4
		105411	12	8	20x1,5	48	33	17	19	24	105411.4
		105412	14	8	22x1,5	50	35	17	19	27	105412.4
		105413	16	8	24x1,5	51	36	17	19	30	105413.4
	400	105414	20	8	30x2	56,5	41	22	19	36	105414.4
		105415	25	8	36x2	59	44	27	19	46	105415.4
		105416	30	8	42x2	63,5	48,5	32	19	50	105416.4
		105417	38	8	52x2	69,5	54,5	41	19	60	105417.4
	630	105418	12	10	20x1,5	48,5	32,5	19	22	24	105418.4
		105419	14	10	22x1,5	50,5	34,5	19	22	27	105419.4
		105420	16	10	24x1,5	51,5	35,5	19	22	30	105420.4
		105421	20	10	30x2	57	41	22	22	36	105421.4
	400	105422	25	10	36x2	59,5	43,5	27	22	46	105422.4
		105423	30	10	42x2	64	48	32	22	50	105423.4
		105424	38	10	52x2	70	54	41	22	60	105424.4
		105425	14	12	22x1,5	52,5	36,5	22	24	27	105425.4
	400	105426	16	12	24x1,5	53,5	37,5	22	24	30	105426.4
		105427	20	12	30x2	57	41	22	24	36	105427.4
		105428	25	12	36x2	59,5	43,5	27	24	46	105428.4
		105429	30	12	42x2	64	48	32	24	50	105429.4
	315	105430	38	12	52x2	70	54	41	24	60	105430.4
	400	105431	16	14	24x1,5	57	39	24	27	30	105431.4
		105432	20	14	30x2	60,5	42,5	24	27	36	105432.4
		105433	25	14	36x2	63	45	27	27	46	105433.4
		105434	30	14	42x2	67,5	49,5	32	27	50	105434.4
	250	105435	38	14	52x2	73,5	55,5	41	27	60	105435.4
		105436	20	16	30x2	60,5	42	27	30	36	105436.4
		105437	25	16	36x2	63	44,5	27	30	46	105437.4
		105438	30	16	42x2	67,5	49	32	30	50	105438.4
	315	105439	38	16	52x2	73,5	55	41	30	60	105439.4
	400	105440	25	20	36x2	68	46,5	32	36	46	105440.4
		105441	30	20	42x2	70,5	49	32	36	50	105441.4
		105442	38	20	52x2	76,5	55	41	36	60	105442.4
		105443	30	25	42x2	75,5	51,5	41	46	50	105443.4
	315	105444	38	25	52x2	79,5	55,5	41	46	60	105444.4
		105445	38	30	52x2	82,5	56	46	50	60	105445.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

REDUCING TUBE ADAPTER WITH SWIVEL NUT L SERIES

Type: **6053...1** Only BodyType: **6053..** B3 RingType: **6053...4** B4 Ring

Serie	Bar	Ordering Body	Ordering Equipped B3	D1	D2	m	L1	L2	L3	CH1	CH2	CH3	Ordering Equipped B4
L	315	605301.1	605301	8	6	14x1,5	31	24	38,5	12	17	14	605301.4
		605302.1	605302	10	6	16x1,5	32	25	39,5	14	19	14	605302.4
		605303.1	605303	12	6	18x1,5	32	25	39,5	17	22	14	605303.4
		605304.1	605304	15	6	22x1,5	36	29	43,5	19	27	14	605304.4
		605305.1	605305	18	6	26x1,5	36,5	29,5	44	24	32	14	605305.4
	160	605306.1	605306	22	6	30x2	37,5	30,5	45	27	36	14	605306.4
		605307.1	605307	28	6	36x2	38,5	31,5	46	32	41	14	605307.4
		605308.1	605308	35	6	45x2	44	37	51,5	41	50	14	605308.4
		605309.1	605309	42	6	52x2	45	38	52,5	50	60	14	605309.4
	315	605310.1	605310	10	8	16x1,5	32	25	40	14	19	17	605310.4
		605311.1	605311	12	8	18x1,5	32	25	40	17	22	17	605311.4
		605312.1	605312	15	8	22x1,5	36	29	44	19	27	17	605312.4
		605313.1	605313	18	8	26x1,5	36,5	29,5	44,5	24	32	17	605313.4
	160	605314.1	605314	22	8	30x2	37,5	30,5	45,5	27	36	17	605314.4
		605315.1	605315	28	8	36x2	38,5	31,5	46,5	32	41	17	605315.4
		605316.1	605316	35	8	45x2	44	37	52	41	50	17	605316.4
		605317.1	605317	42	8	52x2	45	38	53	50	60	17	605317.4
	315	605318.1	605318	12	10	18x1,5	33	26	41	17	22	19	605318.4
		605319.1	605319	15	10	22x1,5	37	30	45	19	27	19	605319.4
		605320.1	605320	18	10	26x1,5	37,5	30,5	45,5	24	32	19	605320.4
	160	605321.1	605321	22	10	30x2	38,5	31,5	46,5	27	36	19	605321.4
		605322.1	605322	28	10	36x2	39,5	32,5	57,5	32	41	19	605322.4
		605323.1	605323	35	10	45x2	45	38	53	41	50	19	605323.4
		605324.1	605324	42	10	52x2	46	39	54	50	60	19	605324.4
	315	605325.1	605325	15	12	22x1,5	37	30	44,5	19	27	22	605325.4
		605326.1	605326	18	12	26x1,5	37,5	30,5	45	24	32	22	605326.4
	160	605327.1	605327	22	12	30x2	38,5	31,5	46	27	36	22	605327.4
		605328.1	605328	28	12	36x2	39,5	32,5	47	32	41	22	605328.4
		605329.1	605329	35	12	45x2	45	38	52,5	41	50	22	605329.4
		605330.1	605330	42	12	52x2	46	39	53,5	50	60	22	605330.4
	315	605331.1	605331	18	15	26x1,5	38,5	31,5	46,5	24	32	27	605331.4
	160	605332.1	605332	22	15	30x2	38,5	31,5	46,5	27	36	27	605332.4
		605333.1	605333	28	15	36x2	40,5	33,5	48,5	32	41	27	605333.4
		605334.1	605334	35	15	45x2	46	39	54	41	50	27	605334.4
		605335.1	605335	42	15	52x2	47	40	55	50	60	27	605335.4
		605336.1	605336	22	18	30x2	39,5	32	48,5	27	36	32	605336.4
		605337.1	605337	28	18	36x2	40,5	33	49,5	32	41	32	605337.4
		605338.1	605338	35	18	45x2	46	38,5	55	41	50	32	605338.4
		605339.1	605339	42	18	52x2	47	39,5	56	50	60	32	605339.4
		605340.1	605340	28	22	36x2	42,5	35	51,5	32	41	36	605340.4
		605341.1	605341	35	22	45x2	48	40,5	57	41	50	36	605341.4
		605342.1	605342	42	22	52x2	49	41,5	58	50	60	36	605342.4
		605343.1	605343	35	28	45x2	48	40,5	57	41	50	41	605343.4
		605344.1	605344	42	28	52x2	49	41,5	58	50	60	41	605344.4
		605345.1	605345	42	35	52x2	51	40,5	62	50	60	50	605345.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**