




MALE STUD BRANCH TEE Thread BSP Taper - Thread NPT

Type: **1025...1** Only Body
Type: **1026...1** Only Body

Type: **1025..** B3 Ring
Type: **1026..** B3 Ring

Type: **1025...4** B4 Ring
Type: **1026...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
LL	100	102501.1	102501	4	1/8	15	11	17	8	21	9	10	-
		102502.1	102502	6	1/8	15	9,5	17	8	21	9	12	-
		102503.1	102503	8	1/8	17	11,5	20	8	23	12	14	-
L	315	102504.1	102504	6	1/8	19	12	20	8	27	12	14	102504.4
		102505.1	102505	8	1/4	21	14	26	12	29	12	17	102505.4
		102506.1	102506	10	1/4	22	15	27	12	30	14	19	102506.4
		102507.1	102507	12	3/8	24	17	28	12	32	17	22	102507.4
		102508.1	102508	15	1/2	28	21	34	14	36	19	27	102508.4
		102509.1	102509	18	1/2	31	23,5	36	14	40	24	32	102509.4
		102510.1	102510	22	3/4	35	27,5	42	16	44	27	36	102510.4
	160	102511.1	102511	28	1	38	30,5	48	18	47	36	41	102511.4
		102512.1	102512	35	1 1/4	45	34,5	54	20	56	41	50	102512.4
		102513.1	102513	42	1 1/2	51	40	61	22	63	50	60	102513.4
S	630	102514.1	102514	6	1/4	23	16	26	12	31	12	17	102514.4
		102515.1	102515	8	1/4	24	17	27	12	32	14	19	102515.4
		102516.1	102516	10	3/8	25	17,5	28	12	34	17	22	102516.4
		102517.1	102517	12	3/8	29	21,5	28	12	38	17	24	102517.4
		102518.1	102518	14	1/2	30	22	32	14	40	19	27	102518.4
	400	102519.1	102519	16	1/2	33	24,5	32	14	43	24	30	102519.4
		102520.1	102520	20	3/4	37	26,5	42	16	48	27	36	102520.4
		102521.1	102521	25	1	42	30	48	18	54	36	46	102521.4
		102522.1	102522	30	1 1/4	49	35,5	54	20	62	41	50	102522.4
	315	102523.1	102523	38	1 1/2	57	41	61	22	72	50	60	102523.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm available on scheduled orders only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	P	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	315	102604.1	102604	6	1/8	19	12	20	10	27	12	14	102604.4
		102605.1	102605	8	1/4	21	14	26	15	29	12	17	102605.4
		102606.1	102606	10	1/4	22	15	27	15	30	14	19	102606.4
		102607.1	102607	12	3/8	24	17	28	15	32	17	22	102607.4
		102608.1	102608	15	1/2	28	21	34	19,5	36	19	27	102608.4
		102609.1	102609	18	1/2	31	23,5	36	19,5	40	24	32	102609.4
	160	102610.1	102610	22	3/4	35	27,5	42	20	44	27	36	102610.4
		102611.1	102611	28	1	38	30,5	48	25	47	36	41	102611.4
		102612.1	102612	35	1 1/4	45	34,5	57	25,5	56	41	50	102612.4
		102613.1	102613	42	1 1/2	51	40	61	26	63	50	60	102613.4
S	630	102614.1	102614	6	1/4	23	16	26	15	31	12	17	102614.4
		102615.1	102615	8	1/4	24	17	27	15	32	14	19	102615.4
		102616.1	102616	10	3/8	25	17,5	28	15	34	17	22	102616.4
		102617.1	102617	12	3/8	29	21,5	28	15	38	17	24	102617.4
		102618.1	102618	14	1/2	30	22	34	19,5	40	19	27	102618.4
	400	102619.1	102619	16	1/2	33	24,5	36	19,5	43	24	30	102619.4
		102620.1	102620	20	3/4	37	26,5	42	20	48	27	36	102620.4
		102621.1	102621	25	1	42	30	48	25	54	36	46	102621.4
		102622.1	102622	30	1 1/4	49	35,5	57	25,5	62	41	50	102622.4
	315	102623.1	102623	38	1 1/2	57	41	61	26	72	50	60	102623.4




Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm available on scheduled orders only

MALE STUD BRANCH TEE Thread BSP Parallel - Thread Metric Parallel

Type: **1028...1** Only Body
Type: **1029...1** Only Body

Type: **1028..** B3 Ring
Type: **1029..** B3 Ring

Type: **1028...4** B4 Ring
Type: **1029...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	160	102810.1	102810	22	3/4	35	27,5	43,5	15	44	27	36	102810.4
		102811.1	102811	28	1	38	30,5	49	17	47	36	41	102811.4
		102812.1	102812	35	1 1/4	45	34,5	57	19	56	41	50	102812.4
		102813.1	102813	42	1 1/2	51	40	64	20	63	50	60	102813.4
S	400	102820.1	102820	20	3/4	37	26,5	43,5	15	48	27	36	102820.4
		102821.1	102821	25	1	42	30	49	17	54	36	46	102821.4
		102822.1	102822	30	1 1/4	49	35,5	57	19	62	41	50	102822.4
	315	102823.1	102823	38	1 1/2	57	41	64	20	72	50	60	102823.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm available on request only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	160	102910.1	102910	22	26x1,5	35	27,5	43,5	15	44	27	36	102910.4
		102911.1	102911	28	33x2	38	30,5	49	17	47	36	41	102911.4
		102912.1	102912	35	42x2	45	34,5	57	19	56	41	50	102912.4
		102913.1	102913	42	48x2	51	40	64	20	63	50	60	102913.4
S	400	102920.1	102920	20	27x2	37	26,5	43,5	15	48	27	36	102920.4
		102921.1	102921	25	33x2	42	30	49	17	54	36	46	102921.4
		102922.1	102922	30	42x2	49	35,5	57	19	62	41	50	102922.4
	315	102923.1	102923	38	48x2	57	41	64	20	72	50	60	102923.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.
Articles not included in ISO 8434-1 norm available on request only

MALE STUD BARREL TEE Thread BSP Taper - Thread NPT


Type: **1030...1** Only Body
Type: **1031...1** Only Body



Type: **1030... B3 Ring**
Type: **1031... B3 Ring**



Type: **1030...4 B4 Ring**
Type: **1031...4 B4 Ring**



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
LL	100	103001.1	103001	4	1/8	15	11	17	8	21	9	10	103001.4
		103002.1	103002	6	1/8	15	9,5	17	8	21	9	12	103002.4
		103003.1	103003	8	1/8	17	11,5	20	8	23	12	14	103003.4
L	315	103004.1	103004	6	1/8	19	12	20	8	27	12	14	103004.4
		103005.1	103005	8	1/4	21	14	26	12	29	12	17	103005.4
		103006.1	103006	10	1/4	22	15	27	12	30	14	19	103006.4
		103007.1	103007	12	3/8	24	17	28	12	32	17	22	103007.4
		103008.1	103008	15	1/2	28	21	34	14	36	19	27	103008.4
		103009.1	103009	18	1/2	31	23,5	36	14	40	24	32	103009.4
		103010.1	103010	22	3/4	35	27,5	42	16	44	27	36	103010.4
	160	103011.1	103011	28	1	38	30,5	48	18	47	36	41	103011.4
		103012.1	103012	35	1 1/4	45	34,5	54	20	56	41	50	103012.4
		103013.1	103013	42	1 1/2	51	40	61	22	63	50	60	103013.4
S	630	103014.1	103014	6	1/4	23	16	26	12	31	12	17	103014.4
		103015.1	103015	8	1/4	24	17	27	12	32	14	19	103015.4
		103016.1	103016	10	3/8	25	17,5	28	12	34	17	22	103016.4
		103017.1	103017	12	3/8	29	21,5	28	12	38	17	24	103017.4
		103018.1	103018	14	1/2	30	22	32	14	40	19	27	103018.4
	400	103019.1	103019	16	1/2	33	24,5	32	14	43	24	30	103019.4
		103020.1	103020	20	3/4	37	26,5	42	16	48	27	36	103020.4
		103021.1	103021	25	1	42	30	48	18	54	36	46	103021.4
		103022.1	103022	30	1 1/4	49	35,5	54	20	62	41	50	103022.4
	315	103023.1	103023	38	1 1/2	57	41	61	22	72	50	60	103023.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on scheduled orders only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	P	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	315	103104.1	103104	6	1/8	19	12	20	10	27	12	14	103104.4
		103105.1	103105	8	1/4	21	14	26	15	29	12	17	103105.4
		103106.1	103106	10	1/4	22	15	27	15	30	14	19	103106.4
		103107.1	103107	12	3/8	24	17	28	15	32	17	22	103107.4
		103108.1	103108	15	1/2	28	21	34	19,5	36	19	27	103108.4
		103109.1	103109	18	1/2	31	23,5	36	19,5	40	24	32	103109.4
	160	103110.1	103110	22	3/4	35	27,5	42	20	44	27	36	103110.4
		103111.1	103111	28	1	38	30,5	48	25	47	36	41	103111.4
		103112.1	103112	35	1 1/4	45	34,5	57	25,5	56	41	50	103112.4
		103113.1	103113	42	1 1/2	51	40	61	26	63	50	60	103113.4
S	630	103114.1	103114	6	1/4	23	16	26	15	31	12	17	103114.4
		103115.1	103115	8	1/4	24	17	27	15	32	14	19	103115.4
		103116.1	103116	10	3/8	25	17,5	28	15	34	17	22	103116.4
		103117.1	103117	12	3/8	29	21,5	28	15	38	17	24	103117.4
		103118.1	103118	14	1/2	30	22	34	19,5	40	19	27	103118.4
	400	103119.1	103119	16	1/2	33	24,5	36	19,5	43	24	30	103119.4
		103120.1	103120	20	3/4	37	26,5	42	20	48	27	36	103120.4
		103121.1	103121	25	1	42	30	48	25	54	36	46	103121.4
		103122.1	103122	30	1 1/4	49	35,5	57	25,5	62	41	50	103122.4
	315	103123.1	103123	38	1 1/2	57	41	61	26	72	50	60	103123.4


Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on scheduled orders only

MALE STUD BARREL TEE Thread BSP Parallel - Thread Metric Parallel

Type: **1033...1** Only Body
Type: **1034...1** Only Body

Type: **1033..** B3 Ring
Type: **1034..** B3 Ring

Type: **1033...4** B4 Ring
Type: **1034...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	160	103310.1	103310	22	3/4	35	27,5	43,5	15	44	27	36	103310.4
		103311.1	103311	28	1	38	30,5	49	17	47	36	41	103311.4
		103312.1	103312	35	1 1/4	45	34,5	57	19	56	41	50	103312.4
		103313.1	103313	42	1 1/2	51	40	64	20	63	50	60	103313.4
S	400	103320.1	103320	20	3/4	37	26,5	43,5	15	48	27	36	103320.4
		103321.1	103321	25	1	42	30	49	17	54	36	46	103321.4
		103322.1	103322	30	1 1/4	49	35,5	57	19	62	41	50	103322.4
		103323.1	103323	38	1 1/2	57	41	64	20	72	50	60	103323.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on request only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	CH1	CH2	Ordering Equipped B4
L	160	103410.1	103410	22	26x1,5	35	27,5	43,5	15	44	27	36	103410.4
		103411.1	103411	28	33x2	38	30,5	49	17	47	36	41	103411.4
		103412.1	103412	35	42x2	45	34,5	57	19	56	41	50	103412.4
		103413.1	103413	42	48x2	51	40	64	20	63	50	60	103413.4
S	400	103420.1	103420	20	27x2	37	26,5	43,5	15	48	27	36	103420.4
		103421.1	103421	25	33x2	42	30	49	17	54	36	46	103421.4
		103422.1	103422	30	42x2	49	35,5	57	19	62	41	50	103422.4
		103423.1	103423	38	48x2	57	41	64	20	72	50	60	103423.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on request only