




BANJO TEE COUPLING WITH ALLOW SCREW AND ELASTOMER SEAL Thread BSP Parallel - Thread Metric Parallel

Type: **1015...1** Only Body
Type: **1016...1** Only Body

Type: **1015..** B3 Ring
Type: **1016..** B3 Ring

Type: **1015..4** B4 Ring
Type: **1016..4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	101504.1	101504	6	1/8	19	12	18,5	10,5	8	27	17	17	14	101504.4
		101505.1	101505	8	1/4	21,5	14,5	25	14	12	29,5	22	19	17	101505.4
		101506.1	101506	10	1/4	22,5	15,5	25	14	12	30,5	22	19	19	101506.4
		101507.1	101507	12	3/8	25	18	30	16,5	12	33	27	24	22	101507.4
		101508.1	101508	15	1/2	29	22	37,5	21,5	14	37	32	30	27	101508.4
	160	101509.1	101509	18	1/2	29	21,5	37,5	21,5	14	38	32	30	32	101509.4
		101510.1	101510	22	3/4	34	26,5	44	24	16	43	41	36	36	101510.4
		101511.1	101511	28	1	38,5	31	55,5	30,5	18	47,5	50	46	41	101511.4
		101512.1	101512	35	1 1/4	45,5	35	65,5	35,5	20	56,5	60	55	50	101512.4
		101513.1	101513	42	1 1/2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101513.4
S	630	101514.1	101514	6	1/4	23,5	16,5	25	14	12	31,5	22	19	17	101514.4
		101515.1	101515	8	1/4	23,5	16,5	25	12	12	31,5	22	19	19	101515.4
		101516.1	101516	10	3/8	26	18,5	30	16,5	12	35	27	24	22	101516.4
		101517.1	101517	12	3/8	26	18,5	30	16,5	12	35	27	24	24	101517.4
		101518.1	101518	14	1/2	31	23	37,5	21,5	14	41	32	30	27	101518.4
	400	101519.1	101519	16	1/2	31	22,5	37,5	21,5	14	41	32	30	30	101519.4
		101520.1	101520	20	3/4	36	25,5	44	24	16	47	41	36	36	101520.4
		101521.1	101521	25	1	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101521.4
		101522.1	101522	30	1 1/4	49,5	36	65,5	35,5	20	62,5	60	55	50	101522.4
	315	101523.1	101523	38	1 1/2	56,5	40,5	75,5	40,5	22	71,5	70	60	60	101523.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on scheduled orders only


Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	101604.1	101604	6	10x1	19	12	18,5	10,5	8	26	17	17	14	101604.4
		101605.1	101605	8	12x1,5	21,5	14,5	25	14	12	29,5	22	19	17	101605.4
		101606.1	101606	10	14x1,5	22,5	15,5	25	14	12	30,5	22	19	19	101606.4
		101607.1	101607	12	16x1,5	25	18	30	16,5	12	33	27	24	22	101607.4
		101608.1	101608	15	18x1,5	29	22	33,5	18,5	12	37	32	27	27	101608.4
	160	101609.1	101609	18	22x1,5	29	21,5	37,5	21,5	14	38	32	30	32	101609.4
		101610.1	101610	22	26x1,5	34	26,5	44	24	16	43	41	36	36	101610.4
		101611.1	101611	28	33x2	38,5	31	55,5	30,5	18	47,5	50	46	41	101611.4
		101612.1	101612	35	42x2	45,5	35	65,5	35,5	20	56,5	60	55	50	101612.4
		101613.1	101613	42	48x2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101613.4
S	630	101614.1	101614	6	12x1,5	23,5	16,5	25	14	12	31,5	22	19	17	101614.4
		101615.1	101615	8	14x1,5	23,5	16,5	25	14	12	31,5	22	19	19	101615.4
		101616.1	101616	10	16x1,5	26	18,5	30	16,5	12	35	27	24	22	101616.4
		101617.1	101617	12	18x1,5	29	21,5	33,5	18,5	12	38	32	27	24	101617.4
		101618.1	101618	14	20x1,5	31	23	36	20	14	41	32	30	27	101618.4
	400	101619.1	101619	16	22x1,5	31	22,5	37,5	21,5	14	41	32	30	30	101619.4
		101620.1	101620	20	27x2	36	25,5	44	24	16	47	41	36	36	101620.4
		101621.1	101621	25	33x2	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101621.4
		101622.1	101622	30	42x2	49,5	36	65,5	35,5	20	62,5	60	55	50	101622.4
	315	101623.1	101623	38	48x2	56,5	40,5	75,5	40,5	22	71,5	70	60	60	101623.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**
Articles not included in ISO 8434-1 norm available on scheduled orders only

ADJUSTABLE MALE STUD BARREL TEE WITH MALE STUD Thread BSP Parallel - Thread Metric Parallel


Type: **1047..** B3 Ring

Type: **1048..** B3 Ring



Type: **1047...4** B4 Ring

Type: **1048...4** B4 Ring



Serie	Bar	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	CH3	Ordering Equipped B4
L	315	104704	6	1/8	27	12	42,5	34,5	8	12	14	14	104704.4
		104705	8	1/4	29	14	49	37	12	12	17	19	104705.4
		104706	10	1/4	30	15	51,5	39,5	12	14	19	19	104706.4
		104707	12	3/8	32	17	53,5	41,5	12	17	22	22	104707.4
		104708	15	1/2	36	21	60	46	14	19	27	27	104708.4
		104709	18	1/2	40	23,5	63,5	49,5	14	24	32	27	104709.4
	160	104710	22	3/4	44	27,5	70,5	54,5	16	27	36	32	104710.4
		104711	28	1	47	30,5	77	59	18	36	41	41	104711.4
		104712	35	1 1/4	56	34,5	88,5	68,5	20	41	50	50	104712.4
		104713	42	1 1/2	63	40	97	75	22	50	60	55	104713.4
S	630	104714	6	1/4	31	16	52	40	12	12	17	19	104714.4
		104715	8	1/4	32	17	54	42	12	14	19	19	104715.4
		104716	10	3/8	34	17,5	56,5	44,5	12	17	22	22	104716.4
		104717	12	3/8	38	21,5	59,5	47,5	12	17	24	22	104717.4
		104718	14	1/2	40	22	67,5	53,5	14	19	27	27	104718.4
	400	104719	16	1/2	43	24,5	68,5	54,5	14	24	30	27	104719.4
		104720	20	3/4	48	26,5	80,5	64,5	16	27	36	32	104720.4
		104721	25	1	54	30	90,5	72,5	18	36	46	41	104721.4
		104722	30	1 1/4	62	35,5	98,5	78,5	20	41	50	50	104722.4
	315	104723	38	1 1/2	72	41	111	89	22	50	60	55	104723.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

Serie	Bar	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	CH1	CH2	CH3	Ordering Equipped B4
L	315	104804	6	10x1	27	12	42,5	34,5	8	12	14	14	104804.4
		104805	8	12x1,5	29	14	49	37	12	12	17	17	104805.4
		104806	10	14x1,5	30	15	51,5	39,5	12	14	19	19	104806.4
		104807	12	16x1,5	32	17	53,5	41,5	12	17	22	22	104807.4
		104808	15	18x1,5	36	21	57,5	45,5	12	19	27	24	104808.4
		104809	18	22x1,5	40	23,5	63,5	49,5	14	24	32	27	104809.4
	160	104810	22	26x1,5	44	27,5	70,5	54,5	16	27	36	32	104810.4
		104811	28	33x2	47	30,5	77	59	18	36	41	41	104811.4
		104812	35	42x2	56	34,5	88,5	68,5	20	41	50	50	104812.4
		104813	42	48x2	63	40	97	75	22	50	60	55	104813.4
S	630	104814	6	12x1,5	31	16	52	40	12	12	17	17	104814.4
		104815	8	14x1,5	32	17	54	42	12	14	19	19	104815.4
		104816	10	16x1,5	34	17,5	56,5	44,5	12	17	22	22	104816.4
		104817	12	18x1,5	38	21,5	59,5	47,5	12	17	24	24	104817.4
		104818	14	20x1,5	40	22	67,5	53,5	14	19	27	27	104818.4
	400	104819	16	22x1,5	43	24,5	68,5	54,5	14	24	30	27	104819.4
		104820	20	27x2	48	26,5	80,5	64,5	16	27	36	32	104820.4
		104821	25	33x2	54	30	90,5	72,5	18	36	46	41	104821.4
		104822	30	42x2	62	35,5	98,5	78,5	20	41	50	50	104822.4
	315	104823	38	48x2	72	41	111	89	22	50	60	55	104823.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**



ADJUSTABLE MALE STUD BRANCH TEE WITH MALE STUD Thread BSP Parallel - Thread Metric Parallel

Type: **1051..** B3 Ring

Type: **1052..** B3 Ring

Type: **1051...4** B4 Ring

Type: **1052...4** B4 Ring



Serie	Bar	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	CH1	CH2	CH3	Ordering Equipped B4
L	315	105104	6	1/8	27	12	42,5	34,5	8	12	14	14	105104.4
		105105	8	1/4	29	14	49	37	12	12	17	19	105105.4
		105106	10	1/4	30	15	51,5	39,5	12	14	19	19	105106.4
		105107	12	3/8	32	17	53,5	41,5	12	17	22	22	105107.4
		105108	15	1/2	36	21	60	46	14	19	27	27	105108.4
		105109	18	1/2	40	23,5	63,5	49,5	14	24	32	27	105109.4
	160	105110	22	3/4	44	27,5	70,5	54,5	16	27	36	32	105110.4
		105111	28	1	47	30,5	77	59	18	36	41	41	105111.4
		105112	35	1 1/4	56	34,5	88,5	68,5	20	41	50	50	105112.4
		105113	42	1 1/2	63	40	97	75	22	50	60	55	105113.4
S	630	105114	6	1/4	31	16	52	40	12	12	17	19	105114.4
		105115	8	1/4	32	17	54	42	12	14	19	19	105115.4
		105116	10	3/8	34	17,5	56,5	44,5	12	17	22	22	105116.4
		105117	12	3/8	38	21,5	59,5	47,5	12	17	24	22	105117.4
		105118	14	1/2	40	22	67,5	53,5	14	19	27	27	105118.4
	400	105119	16	1/2	43	24,5	68,5	54,5	14	24	30	27	105119.4
		105120	20	3/4	48	26,5	80,5	64,5	16	27	36	32	105120.4
		105121	25	1	54	30	90,5	72,5	18	36	46	41	105121.4
		105122	30	1 1/4	62	35,5	98,5	78	20	41	50	50	105122.4
	315	105123	38	1 1/2	72	41	111	89	22	50	60	55	105123.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

Serie	Bar	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	CH1	CH2	CH3	Ordering Equipped B4
L	315	105204	6	10x1	27	12	42,5	34,5	8	12	14	14	105204.4
		105205	8	12x1,5	29	14	49	37	12	12	17	17	105205.4
		105206	10	14x1,5	30	15	51,5	39,5	12	14	19	19	105206.4
		105207	12	16x1,5	32	17	53,5	41,5	12	17	22	22	105207.4
		105208	15	18x1,5	36	21	57,5	45,5	12	19	27	24	105208.4
		105209	18	22x1,5	40	23,5	63,5	49,5	14	24	32	27	105209.4
	160	105210	22	26x1,5	44	27,5	70,5	54,5	16	27	36	32	105210.4
		105211	28	33x2	47	30,5	77	59	18	36	41	41	105211.4
		105212	35	42x2	56	34,5	88,5	68,5	20	41	50	50	105212.4
		105213	42	48x2	63	40	97	75	22	50	60	55	105213.4
S	630	105214	6	12x1,5	31	16	52	40	12	12	17	17	105214.4
		105215	8	14x1,5	32	17	54	42	12	14	19	19	105215.4
		105216	10	16x1,5	34	17,5	56,5	44,5	12	17	22	22	105216.4
		105217	12	18x1,5	38	21,5	59,5	47,5	12	17	24	24	105217.4
		105218	14	20x1,5	40	22	67,5	53,5	14	19	27	27	105218.4
	400	105219	16	22x1,5	43	24,5	68,5	54,5	14	24	30	27	105219.4
		105220	20	27x2	48	26,5	80,5	64,5	16	27	36	32	105220.4
		105221	25	33x2	54	30	90,5	72,5	18	36	46	41	105221.4
		105222	30	42x2	62	35,5	98,5	78	20	41	50	50	105222.4
	315	105223	38	48x2	72	41	111	89	22	50	60	55	105223.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**

ADJUSTABLE MALE STUD BARREL TEE WITH MALE STUD Thread BSP Parallel - Thread Metric Parallel

Type: **6047...1** Only Body




Type: **6048...1** Only Body

Type: **6047..** B3 Ring

Type: **6048..** B3 Ring

Type: **6047...4** B4 Ring

Type: **6048...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	604704.1	604704	6	1/8	19	12	61,5	34,5	8	27	12	14	14	604704.4
		604705.1	604705	8	1/4	21	14	66,5	37	12	29	12	17	19	604705.4
		604706.1	604706	10	1/4	22	15	70	39,5	12	30	14	19	19	604706.4
		604707.1	604707	12	3/8	24	17	74	41,5	12	32	17	22	22	604707.4
		604708.1	604708	15	1/2	28	21	82,5	46	14	36	19	27	27	604708.4
		604709.1	604709	18	1/2	31	23,5	90	49,5	14	40	24	32	27	604709.4
	160	604710.1	604710	22	3/4	35	27,5	99	54,5	16	44	27	36	32	604710.4
		604711.1	604711	28	1	38	30,5	106	59	18	47	36	41	41	604711.4
		604712.1	604712	35	1 1/4	45	34,5	124,5	68,5	20	56	41	50	50	604712.4
		604713.1	604713	42	1 1/2	51	40	138	75	22	63	50	60	55	604713.4
		604714.1	604714	6	1/4	23	16	71	40	12	31	12	17	19	604714.4
S	630	604715.1	604715	8	1/4	24	17	74,5	42	12	32	14	19	19	604715.4
		604716.1	604716	10	3/8	25	17,5	79	44,5	12	34	17	22	22	604716.4
		604717.1	604717	12	3/8	29	21,5	86	47,5	12	38	17	24	22	604717.4
		604718.1	604718	14	1/2	30	22	94	53,5	14	40	19	27	27	604718.4
		604719.1	604719	16	1/2	33	24,5	98	54,5	14	43	24	30	27	604719.4
	400	604720.1	604720	20	3/4	37	26,5	113	64,5	16	48	27	36	32	604720.4
		604721.1	604721	25	1	42	30	127	72,5	18	54	36	46	41	604721.4
		604722.1	604722	30	1 1/4	49	35,5	140,5	78,5	20	62	41	50	50	604722.4
		604723.1	604723	38	1 1/2	57	41	161	89	22	72	50	60	55	604723.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	604804.1	604804	6	10x1	8	34,5	61,5	34,5	8	27	12	14	14	604804.4
		604805.1	604805	8	12x1,5	12	37	66,5	37	12	29	12	17	17	604805.4
		604806.1	604806	10	14x1,5	12	39,5	70	39,5	12	30	14	19	19	604806.4
		604807.1	604807	12	16x1,5	12	41,5	74	41,5	12	32	17	22	22	604807.4
		604808.1	604808	15	18x1,5	14	45,5	82,5	45,5	14	36	19	27	24	604808.4
		604809.1	604809	18	22x1,5	14	49,5	90	49,5	14	40	24	32	27	604809.4
	160	604810.1	604810	22	26x1,5	16	54,5	99	54,5	16	44	27	36	32	604810.4
		604811.1	604811	28	33x2	18	59	106	59	18	47	36	41	41	604811.4
		604812.1	604812	35	42x2	20	68,5	124,5	68,5	20	56	41	50	50	604812.4
		604813.1	604813	42	48x2	22	75	138	75	22	63	50	60	55	604813.4
		604814.1	604814	6	12x1,5	12	40	71	40	12	31	12	17	17	604814.4
S	630	604815.1	604815	8	14x1,5	12	42	74,5	42	12	32	14	19	19	604815.4
		604816.1	604816	10	16x1,5	12	44,5	79	44,5	12	34	17	22	22	604816.4
		604817.1	604817	12	18x1,5	12	47,5	86	47,5	12	38	17	24	24	604817.4
		604818.1	604818	14	20x1,5	14	53,5	94	53,5	14	40	19	27	27	604818.4
		604819.1	604819	16	22x1,5	14	54,5	98	54,5	14	43	24	30	27	604819.4
	400	604820.1	604820	20	27x2	16	64,5	113	64,5	16	48	27	36	32	604820.4
		604821.1	604821	25	33x2	18	72,5	127	72,5	18	54	36	46	41	604821.4
		604822.1	604822	30	42x2	20	78,5	140,5	78,5	20	62	41	50	50	604822.4
		604823.1	604823	38	48x2	22	89	161	89	22	72	50	60	55	604823.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**

ADJUSTABLE MALE STUD BRANCH TEE WITH MALE STUD Thread BSP Parallel - Thread Metric Parallel

Type: **6051...1** Only Body




Type: **6052...1** Only Body

Type: **6051..** B3 Ring

Type: **6052..** B3 Ring

Type: **6051...4** B4 Ring

Type: **6052...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	605104.1	605104	6	1/8	19	12	42,5	34,5	8	27	12	14	14	605104.4
		605105.1	605105	8	1/4	21	14	49	37	12	29	12	17	19	605105.4
		605106.1	605106	10	1/4	22	15	51,5	39,5	12	30	14	19	19	605106.4
		605107.1	605107	12	3/8	24	17	53,5	41,5	12	32	17	22	22	605107.4
		605108.1	605108	15	1/2	28	21	60	46	14	36	19	27	27	605108.4
	605109.1	605109	18	1/2	31	23,5	63,5	49,5	14	40	24	32	27	605109.4	
	160	605110.1	605110	22	3/4	35	27,5	70,5	54,5	16	44	27	36	32	605110.4
		605111.1	605111	28	1	38	30,5	77	59	18	47	36	41	41	605111.4
605112.1		605112	35	1 1/4	45	34,5	88,5	68,5	20	56	41	50	50	605112.4	
S	630	605113.1	605113	42	1 1/2	51	40	97	75	22	63	50	60	55	605113.4
		605114.1	605114	6	1/4	23	16	52	40	12	31	12	17	19	605114.4
		605115.1	605115	8	1/4	24	17	54	42	12	32	14	19	19	605115.4
		605116.1	605116	10	3/8	25	17,5	56,5	44,5	12	34	17	22	22	605116.4
		605117.1	605117	12	3/8	29	21,5	59,5	47,5	12	38	17	24	22	605117.4
	605118.1	605118	14	1/2	30	22	67,5	53,5	14	40	19	27	27	605118.4	
	400	605119.1	605119	16	1/2	33	24,5	68,5	54,5	14	43	24	30	27	605119.4
		605120.1	605120	20	3/4	37	26,5	80,5	64,5	16	48	27	36	32	605120.4
		605121.1	605121	25	1	42	30	90,5	72,5	18	54	36	46	41	605121.4
		605122.1	605122	30	1 1/4	49	35,5	98,5	78,5	20	62	41	50	50	605122.4
	315	605123.1	605123	38	1 1/2	57	41	111	89	22	72	50	60	55	605123.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**.

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	605204.1	605204	6	10x1	19	12	42,5	34,5	8	27	12	14	14	605204.4
		605205.1	605205	8	12x1,5	21	14	49	37	12	29	12	17	17	605205.4
		605206.1	605206	10	14x1,5	22	15	51,5	39,5	12	30	14	19	19	605206.4
		605207.1	605207	12	16x1,5	24	17	53,5	41,5	12	32	17	22	22	605207.4
		605208.1	605208	15	18x1,5	28	21	59,5	45,5	14	36	19	27	24	605208.4
	605209.1	605209	18	22x1,5	31	23,5	63,5	49,5	14	40	24	32	27	605209.4	
	160	605210.1	605210	22	26x1,5	35	27,5	70,5	54,5	16	44	27	36	32	605210.4
		605211.1	605211	28	33x2	38	30,5	77	59	18	47	36	41	41	605211.4
605212.1		605212	35	42x2	45	34,5	88,5	68,5	20	56	41	50	50	605212.4	
S	630	605213.1	605213	42	48x2	51	40	97	75	22	63	50	60	55	605213.4
		605214.1	605214	6	12x1,5	23	16	52	40	12	31	12	17	17	605214.4
		605215.1	605215	8	14x1,5	24	17	54	42	12	32	14	19	19	605215.4
		605216.1	605216	10	16x1,5	25	17,5	56,5	44,5	12	34	17	22	22	605216.4
		605217.1	605217	12	18x1,5	29	21,5	59,5	47,5	12	38	17	24	24	605217.4
	605218.1	605218	14	20x1,5	30	22	67,5	53,5	14	40	19	27	27	605218.4	
	400	605219.1	605219	16	22x1,5	33	24,5	68,5	54,5	14	43	24	30	27	605219.4
		605220.1	605220	20	27x2	37	26,5	80,5	64,5	16	48	27	36	32	605220.4
		605221.1	605221	25	33x2	42	30	90,5	72,5	18	54	36	46	41	605221.4
		605222.1	605222	30	42x2	49	35,5	98,5	78,5	20	62	41	50	50	605222.4
	315	605223.1	605223	38	48x2	57	41	111	89	22	72	50	60	55	605223.4

Note: If you wish to order a fitting in stainless steel, please change the first two digit from **60..** to **61..**.